2170193-1 - ACTIVE

TE Internal #: 2170193-1 SFP, SFP+ & zSFP+, Cage, Data Rate (Max) 16 Gb/s, Internal /External EMI Springs, SFP+ Enhanced, With Lightpipe, 1 x 1, Dual Round, Standard, Ultra Low

View on TE.com >



Connectors > Pluggable IO Connectors & Cages > SFP, SFP+ & zSFP+



Pluggable I/O Product Type: Cage

Data Rate (Max): 16 Gb/s

EMI Containment Feature Type: Internal/External EMI Springs

Pluggable I/O Applications: SFP+ Enhanced

Lightpipe Options: With Lightpipe

Features

Product Type Features

Form Factor	SFP+
Cage Type	Single
Pluggable I/O Product Type	Cage
Lightpipe Options	With Lightpipe

Connector System	Cable-to-Board				
Sealable	No				
Connector & Contact Terminates To	Printed Circuit Board				
Configuration Features					
Port Matrix Configuration	1 x 1				
Lightpipe Configuration	Dual Round				
Lightpipe Style	Standard				
Lightpipe Profile	Ultra Low				
Number of Ports	1				
Electrical Characteristics					
Data Rate (Max)	16 Gb/s				
Termination Features					
Termination Post & Tail Length	2.05 mm[.081 in]				
Termination Method to Printed Circuit Board	Through Hole - Press-Fit				
Mechanical Attachment					

SFP, SFP+ & zSFP+, Cage, Data Rate (Max) 16 Gb/s, Internal/External EMI Springs, SFP+ Enhanced, With Lightpipe, 1 x 1, Dual Round, Standard, Ultra Low



Connector Mounting Type	Board Mount				
Housing Features					
Cage Material	Nickel Silver				
Dimensions					
PCB Thickness (Recommended)	1.5 mm[.059 in]				
Usage Conditions					
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]				
Operation/Application					
Heat Sink Compatible	No				
For Use With Pluggable I/O Products	SFP+ SMT Connector				
Pluggable I/O Applications	SFP+ Enhanced				
Industry Standards					
UL Flammability Rating	UL 94V-0				
Packaging Features					
Packaging Method	Box & Tray, Package				
Other					

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC	
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.	
Solder Process Capability	Not applicable for solder process capability	
Product Compliance Disclaimer		

SFP, SFP+ & zSFP+, Cage, Data Rate (Max) 16 Gb/s, Internal/External EMI Springs, SFP+ Enhanced, With Lightpipe, 1 x 1, Dual Round, Standard, Ultra Low



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



SFP, SFP+ & zSFP+, Cage, Data Rate (Max) 16 Gb/s, Internal/External EMI Springs, SFP+ Enhanced, With Lightpipe, 1 x 1, Dual Round, Standard, Ultra Low





Customers Also Bought



TE Part #1577632-1

TE Part #103916-2

WICKO 03B, THE B, KEVEKSE	UNICC MICIO-COax receptacie, Gen 1	16 AWG	20 3131 EW 30 HDR DR31 014311
TE Part #WM10BF06-09SN-999A RECEPT ASSY.SQ FLG. WM. 9 WAY. LONG KNUR	TE Part #2127102-1 C/A, 08-0143-01 HM-ZD 4PRX10 PANEL MT TO		

TE Part #2337019-1

Documents

TE Part #1932788-1

Product Drawings SFP+ 1x1 Cage Assembly,w/ Light Pipe

English

CAD Files

Customer View Model

ENG_CVM_CVM_2170193-1_1.2d_dxf.zip

English

3D PDF

SFP, SFP+ & zSFP+, Cage, Data Rate (Max) 16 Gb/s, Internal/External EMI Springs, SFP+ Enhanced, With Lightpipe, 1 x 1, Dual Round, Standard, Ultra Low



3D

Customer View Model ENG_CVM_CVM_2170193-1_1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2170193-1_1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

Product Environmental Compliance MD_2170193-1_12052018922_dmtec

English

MD_2170193-1_12052018922_dmtec

English