# 2170790-4 ACTIVE

### zQSFP+/QSFP28

TE Internal #: 2170790-4

QSFP, QSFP+ & zQSPF+, Cage Assembly, 1 x 4, Internal/External EMI Springs, Included Lightpipe, Thermally Enhanced, 4 Port, Quad

Square, zQSFP+/QSFP28

View on TE.com >



Connectors > Pluggable IO Connectors & Cages > QSFP, QSFP+ & zQSPF+





Pluggable I/O Product Type: Cage Assembly

Port Matrix Configuration: 1x4

EMI Containment Feature Type: Internal/External EMI Springs

Thermal Accessory Type Included: Heat Sink

Included Lightpipe: Yes

### **Features**

### **Product Type Features**

Form Factor	QSFP28/56
Cage Type	Ganged
Pluggable I/O Product Type	Cage Assembly
Thermal Accessory Type Included	Heat Sink
Connector System	Cable-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board

## **Configuration Features**

Port Matrix Configuration	1 × 4
Number of Ports	4
Lightpipe Configuration	Quad Square
Number of Rear EONs per Port Column	1

### **Body Features**

Heat Sink Finish	Anodized Black
Heat Sink Style	Pin
Heat Sink Height Class	Custom
Heat Sink Height	5.4 mm[.213 in]



### **Contact Features**

PCB Contact Termination Area Plating Material	Tin
Termination Features	
Termination Post & Tail Length	2.05 mm[.081 in]
Termination Method to Printed Circuit Board	Through Hole - Press-Fit
Mechanical Attachment	
Connector Mounting Type	Board Mount
Housing Features	
Cage Material	Nickel Silver
Dimensions	
PCB Thickness (Recommended)	1.57 mm[.062 in]
Usage Conditions	
Operating Temperature Range	-40 - 85 °C[-40 - 185 °F]
Operation/Application	
For Use With Pluggable I/O Products	QSFP28 Cable Assembly, QSFP28 MSA Compatible Transceiver
Pluggable I/O Applications	Thermally Enhanced
Circuit Application	Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Features  Packaging Method	Box & Tray
	Box & Tray
Packaging Method	Box & Tray  Internal/External EMI Springs
Packaging Method  Other	

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach









TE Part # CAT-Q17-N490333

26 AWG

QSFP56-Four SFP56 Cable Assembly:

TE Part # 1888810-2 EMI/Dust Cover,XFP And QSFP





## Also in the Series | zQSFP+/QSFP28







Heat Sinks(1)

# Customers Also Bought



TE Part #2-1926739-5 AssyMinipak Hdl25s10pRARecptSc



TE Part #2317010-1 ZSFP+ 1X2 CAGE BELLY TO BELLY



TE Part #796136-1 ASSY, SMT BATTERY CONN



TE Part #2289129-5 ZQSFP+ CAGE& CONN 2X2, EMI SPRING, 2 LP

TE Part #1775838-6 mini PCI-E 5.6H Type II G/F TE Part #2-2299870-3 THERMAL ZQSFP+ STACKED REC ASSEMBLY 2X2

TE Part #2227104-5 1X2 CAGE ASSY, BHND BEZEL, QSFP28

TE Part #2343969-1 CA, Dynamic to ATX



TE Part #2360945-2 RCPT CONN R/A SMT 76 POSN QSFP-DD, W/ PI

TE Part #3-2007637-5 SFP+ 2x2, SPR, 4 LP Enhanced, HF, NI

### **Documents**

### **Product Drawings**

CAGE ASSY, 1X4, QSFP28, SPRING, HS, LP

English

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2170790-4\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2170790-4\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2170790-4\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

QSFP28/56 and zQSFP+ Interconnects

English

### **Product Specifications**

**Application Specification** 

English

### **Product Environmental Compliance**

**TE Material Declaration** 

English