

SIM Connectors

TE Internal #: 2174803-2

SIM Card Connectors, 3FF SIM Compatible Card, 6 Position, 6 Loaded Positions, Signal, -22 – 185 °F [-30 – 85 °C], SIM Connectors

View on TE.com >



Connectors > PCB Connectors > Memory Card Connectors > SIM Card Connectors











Compatible Card: **3FF SIM**

Number of Positions: 6

Centerline (Pitch): 2.54 mm [.1 in]

Number of Loaded Positions: 6

Connector & Contact Terminates To: Printed Circuit Board

Features

Product Type Features

Card Stop	With
Compatible Card	3FF SIM
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Card Insertion Style	Normal Insertion
Card Detection Switch	With
Number of Positions	6
Number of Loaded Positions	6

Electrical Characteristics

Current Rating (Max)	.5 A
Voltage Rating	10 VAC

Body Features

Ejector Type	Push-Push
Primary Product Color	Black



Contact Features

Contact Mating Retention	Without
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	.5 A

Termination Features

Mechanical Attachment

Mating Alignment	With
Connector Mounting Type	Board Mount

Housing Features

Shell Material	Stainless Steel
Housing Material	Thermoplastic
Centerline (Pitch)	2.54 mm[.1 in]

Dimensions

Profile Height from PCB	1.3 mm[.051 in]
-------------------------	-----------------

Usage Conditions

Operating Temperature Range	-30 – 85 °C[-22 – 185 °F]

Operation/Application

Durability Rating	1500 Cycles
Circuit Application	Signal

Industry Standards

UL Flammability Rating UL 94V-0

Packaging Features

Packaging Metho	d	Tape & Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235)



	Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | SIM Connectors




Customers Also Bought

















Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2174803-2_P1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2174803-2_P1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2174803-2_P1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

2-1773464-0_SIM_Card_Connectors_Quick_Reference_Guide

English

Product Specifications

Product Specification

English

Product Specification

English

Product Environmental Compliance

MD_2174803-2_052220182338_dmtec

English

SIM Card Connectors, 3FF SIM Compatible Card, 6 Position, 6 Loaded Positions, Signal, -22 - 185 °F [-30 - 85 °C], SIM Connectors



MD_2174803-2_052220182338_dmtec

English