

Neohm | Neohm EP

TE Internal #: 2176045-1

 $20~\Omega$, Wire Wound, Power Resistor, 5 %, 25~x~8.5~mm, 2


Termination, Loose Piece - Box, 5 W, ±300 ppm/°C, Tinned Copper

Leads Termination, Neohm EP

View on TE.com >



Passive Components > Resistors > Through-Hole Resistors



Resistor Type: Power Resistor

Passive Component Dimensions: 25 x 8.5 mm

Number of Terminations: 2

Packaging Method: Loose Piece - Box
Passive Component Tolerance: 5 %

Features

Product Type Features

Termination Features

Dimensions

Number of Terminations

Passive Component Dimensions

Passive Component Termination Material Type

Resistor Type	Power Resistor
Element Type	Wire Wound
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Voltage Rating	500 V
Passive Component Tolerance	5 %
Resistance Class	Up to $1k\Omega$
Resistance Value	20 Ω
Power Rating	5 W
Body Features	
Passive Component Lead Type	Axial-Leaded

2

Tinned Copper Leads

25 x 8.5 mm



Usage Conditions

Operating Temperature Range	-55 – 155 °C
Temperature Coefficient	±300 ppm/°C
Packaging Features	
Packaging Method	Loose Piece - Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

20 Ω , Wire Wound, Power Resistor, 5 %, 25 x 8.5 mm, 2 Termination, Loose Piece - Box, 5 W, ± 300 ppm/°C, Tinned Copper Leads Termination, Neohm EP














Also in the Series | Neohm EP



Customers Also Bought









TE Part #1-1123722-3
3.96 EP PLUG HSG 3P(NATURAL)











20 Ω , Wire Wound, Power Resistor, 5 %, 25 x 8.5 mm, 2 Termination, Loose Piece - Box, 5 W, ± 300 ppm/°C, Tinned Copper Leads Termination, Neohm EP







Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2176045-1_BA.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2176045-1_BA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2176045-1_BA.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Wirewound Anti Surge Resistors - Type EP Series

English