

### CGS | CGS TLM

TE Internal #: 2176157-5

 $.022 \Omega$ , Foil, Current Sensing Resistor, 5 %, 2 Termination, 2010,

Taped & Reeled, .75 W, ±100 ppm/°C, Solder, 5 x 2.5 x .55 mm,

CGS TLM

View on TE.com >



Passive Components > Resistors > Surface Mount Resistors > Metal Chip Resistor: Current Sense



Resistor Type: Current Sensing Resistor

Number of Terminations: 2
Package Size Code: 2010

Packaging Method: Taped & Reeled
Passive Component Tolerance: 5 %

All Metal Chip Resistor: Current Sense (152)

Surface Mount Resistor Termination Type

Passive Component Dimensions

#### **Features**

### **Product Type Features**

Product Type	Fixed Resistor
Resistor Type	Current Sensing Resistor
Package Size Code	2010
Element Type	Foil
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Passive Component Tolerance	5 %
Resistance Class	Up to $1k\Omega$
Resistance Value	.022 Ω
Power Rating	.75 W
Termination Features	
Number of Terminations	2

Solder

5 x 2.5 x .55 mm

**Dimensions** 



#### **Usage Conditions**

Temperature Coefficient	±100 ppm/°C
Packaging Features	
Packaging Method	Taped & Reeled

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

## Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


# Compatible Parts



09/21/2023 09:14AM | Page 2



## Also in the Series | CGS TLM



# Customers Also Bought



















## **Documents**

**CAD Files** 

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_2176157-5\_BA.2d\_dxf.zip

English

**Customer View Model** 

.022  $\Omega$ , Foil, Current Sensing Resistor, 5 %, 2 Termination, 2010, Taped & Reeled, .75 W,  $\pm 100$  ppm/°C, Solder, 5 x 2.5 x .55 mm, CGS TLM



ENG\_CVM\_CVM\_2176157-5\_BA.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2176157-5\_BA.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

SMD Current Sense Metal Chip Resistor

English