

CGS | CGS TJT

TE Internal #: 2176250-6

 6.8Ω , Wire Wound, Power Resistor, $330 \times 80 \times 10 \text{ mm}$, $2 \times 10 \times 10 \times 10 \times 10 \times 10^{-2}$


Termination, Loose Piece - Box, 5 %, 500 W, ±260 ppm/°C, Flying

Leads Termination, CGS TJT

View on TE.com >



Passive Components > Resistors > Chassis Mount Resistors



Resistor Type: Power Resistor

Passive Component Dimensions: 330 x 80 x 10 mm

Number of Terminations: 2

Packaging Method: Loose Piece - Box
Passive Component Tolerance: 5 %

Features

Product Type Features

Product Type Features	
Resistor Type	Power Resistor
Element Type	Wire Wound
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Passive Component Tolerance	5 %
Resistance Class	Up to $1k\Omega$
Resistance Value	6.8 Ω
Power Rating	500 W
Termination Features	
Number of Terminations	2
Chassis Mount Resistor Termination Type	Flying Leads



Chassis Mount Resistor Mount Style	Chassis Mount
Dimensions	
Passive Component Dimensions	330 x 80 x 10 mm
Usage Conditions	
Operating Temperature Range	-25 – 250 °C
Temperature Coefficient	±260 ppm/°C
Packaging Features	
Packaging Method	Loose Piece - Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Hand solderable with lead free solder

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts










Also in the Series | CGS TJT



Customers Also Bought

















Documents

Product Drawings
TJT 500W 6R8 5%

English

CAD Files

3D PDF

3D

 $6.8~\Omega$, Wire Wound, Power Resistor, 330~x~80~x~10 mm, 2 Termination, Loose Piece - Box, 5~%, 500~W, $\pm 260~ppm/^{\circ}C$, Flying Leads Termination, CGS TJT



Customer View Model

ENG_CVM_CVM_2176250-6_BA.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2176250-6_BA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2176250-6_BA.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

ALUMINIUM ENCLOSED POWER RESISTORS - Type TJT Series

English

TJT-0715

English