

### **CROWN CLIP**

TE Internal #: 2178410-1 Busbar Connectors, Board-to-Bus Bar, 2 Position, Printed Circuit Board, Black, Tray, Right Angle, Copper Alloy, Hot Pluggable, Power, Board Mount

#### View on TE.com >

Connectors > Power Connectors > Power Busbar Connectors > Busbar Connectors



Connector System: Board-to-Bus Bar Number of Positions: 2 Connector & Contact Terminates To: Printed Circuit Board Mating Conductor Thickness: 3 mm [.118 in ] Housing Color: Black

## Features



### **Product Type Features**

Connector & Housing Type	Receptacle
Connector System	Board-to-Bus Bar
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Number of Positions	2
PCB Mount Orientation	Right Angle
Mating & Unmating Configuration	Hot Pluggable
Body Features	
Bus Bar Contact Plating Material	Tin
Contact Features	
Mating Tab Width	14.95 mm[.588 in]
Mating Tab Thickness	3 mm[.118 in]
Contact Base Material	Copper Alloy

**C** For support call+1 800 522 6752

# 2178410-1

Busbar Connectors, Board-to-Bus Bar, 2 Position, Printed Circuit Board, Black, Tray, Right Angle, Copper Alloy, Hot Pluggable, Power, Board Mount



Contact Length	28.1 mm[1.106 in]
Bus Bar Contact Style	Socket
Termination Features	
Termination Method to Printed Circuit Board	Through Hole - Solder
Mechanical Attachment	
Mating Alignment	Without
Bus Bar Connector Mounting Retention	Without
Connector Mounting Type	Board Mount
Housing Features	
Housing Color	Black
Usage Conditions	
Operating Temperature Range	-65 – 105 °C[-85 – 221 °F]
Operation/Application	
Circuit Application	Power
Packaging Features	
Packaging Method	Tray

Other

Mating	Conductor	Thickness
--------	-----------	-----------

# 3 mm[.118 in]

# Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 260°C

Product Compliance Disclaimer

**C** For support call+1 800 522 6752

# 2178410-1

Busbar Connectors, Board-to-Bus Bar, 2 Position, Printed Circuit Board, Black, Tray, Right Angle, Copper Alloy, Hot Pluggable, Power, Board Mount




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach


# **Compatible Parts**





TE Part # 2178531-4 Crown Clip Junior AG Plating Reflow

# **Customers Also Bought**









## **Documents**

#### **CAD** Files

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2178410-1\_A.2d\_dxf.zip

# 2178410-1

Busbar Connectors, Board-to-Bus Bar, 2 Position, Printed Circuit Board, Black, Tray, Right Angle, Copper Alloy, Hot Pluggable, Power, Board Mount



English

Customer View Model ENG\_CVM\_CVM\_2178410-1\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_2178410-1\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Busbar Power Brochure

English

Product Specifications

Application Specification

English

Product Environmental Compliance TE Material Declaration

English

Agency Approvals UL Report

English