2178411-1 ACTIVE

CROWN CLIP

TE Internal #: 2178411-1

Busbar Connectors, Board-to-Bus Bar, 1 Position, Printed Circuit Board, Thermoplastic, Black, Swage Mount, Tray, Right Angle,

Vertical, Copper Alloy

View on TE.com >




Connectors > Power Connectors > Power Busbar Connectors > Busbar Connectors











Connector System: Board-to-Bus Bar

Number of Positions: 1

Connector & Contact Terminates To: Printed Circuit Board

Mating Conductor Thickness: 3 mm [.118 in]

Housing Material: Thermoplastic

Features

Product Type Features

Connector & Housing Type	Receptacle
Connector System	Board-to-Bus Bar
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Number of Positions	1
PCB Mount Orientation	Right Angle
Mating & Unmating Configuration	Hot Pluggable

Body Features

Bus Bar Contact Plating Material	Tin
----------------------------------	-----

Contact Features

Contact Base Material	Copper Alloy
Contact Current Rating (Max)	170 A
Contact Length	28.1 mm[1.106 in]
Bus Bar Contact Style	Socket



Termination Features

Termination Method to Printed Circuit Board	Through Hole - Solder
Mechanical Attachment	
Mating Alignment	Without
Bus Bar Connector Mounting Retention	Without
PCB Mount Retention Type	Retention Solder Tails
Bus Bar Mount Retention Type	Swage Mount
Bus Bar Mount Orientation	Vertical
Connector Mounting Type	Board Mount
Housing Features	
Housing Material	Thermoplastic
Housing Color	Black
Usage Conditions	
Operating Temperature Range	-65 – 105 °C[-85 – 221 °F]
Operation/Application	
Circuit Application	Power
Packaging Features	
Packaging Method	Tray
Other	
Mating Conductor Thickness	3 mm[.118 in]

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free



Solder Process Capability

Wave solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought























Documents

Product Drawings

Pluggable busbar assembly

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2178411-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2178411-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2178411-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Busbar Power Brochure

English

Product Environmental Compliance

MD_2178411-1_07022016318_dmtec

English

MD_2178411-1_07022016318_dmtec

English

Agency Approvals

UL Report

English