




TE Internal #: 2204061-2

Card Edge Power Connectors, Board-to-Board, 40 Position, 1.27 mm / 2.54 mm [.1 in / .05 in] Centerline, Power & Signal, 4 Power Positions

[View on TE.com >](#)

Connectors > PCB Connectors > Card Edge Connectors > Card Edge Power Connectors



Connector System: **Board-to-Board**

Number of Positions: **40**

Centerline (Pitch): **1.27 mm, 2.54 mm [.05 in, .1 in]**

Connector & Contact Terminates To: **Printed Circuit Board**

Contact Current Rating (Max): **22 A**

Features

Product Type Features

Connector System	Board-to-Board
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

PCB Mount Orientation	Vertical
Number of Positions	40
Number of Power Positions	4
Number of Signal Positions	36
Number of Dual Positions	2

Electrical Characteristics

Operating Voltage	400 V
-------------------	-------

Body Features

Primary Product Color	Black
-----------------------	-------

Contact Features

Contact Mating Area Plating Material Thickness	1.27 μm[50 μin]
--	-----------------



Contact Underplating Material	Nickel
PCB Contact Termination Area Plating Material	Tin
Contact Base Material	Phosphor Bronze
Contact Current Rating (Max)	22 A
Contact Mating Area Plating Material	Gold

Termination Features

Termination Post & Tail Length	3.18 mm[.125 in]
Termination Method to Printed Circuit Board	Through Hole - Press-Fit

Mechanical Attachment

PCB Mount Retention	With
Connector Mounting Type	Board Mount

Housing Features

Housing Material	Polyester GF
Centerline (Pitch)	1.27 mm, 2.54 mm[.05 in][.1 in]

Dimensions

Power Contact Centerline	7.62 mm[.3 in]
--------------------------	----------------

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Other

Position Locations Omitted	0
----------------------------	---

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235)



Candidate List Declared Against: JUNE 2023 (235)
Does not contain REACH SVHC

Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2343428-1

HD+ CE, RA, CRPS

Customers Also Bought



TE Part #2110759-1

PT CONN ASSY 20 POS 16G SFP



TE Part #100745-3

Z-PACK/L M-HSG 06P.



TE Part #5645518-1

MSS SER 4 SPL ON STRIP

TE Part #1-2170704-6

CAGE ASSY, QSFP28 1X1, SPRING, HS



TE Part #6450530-5
MBXL R/A HDR 2P+24S+2P

TE Part #2024579-1
C/A, CISCO 72-5435-01, POWER, MBXLE

TE Part #2227317-5
press fit cage assy, single with lp

TE Part #2304369-1
SFP+ 1X1 CAGE ASSY, PF, WITH HEATSINK

TE Part #2306003-1
HEAT SINK CLIP, STRADDLE QSFP28 1XN

TE Part #2337910-1
C/A, SLIVER 74P, RA TO RA, 100OHM

Documents

Product Drawings

CONNECTOR ASSEMBLY, SEC II POW

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2204061-2_A1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2204061-2_A1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2204061-2_A1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Agency Approvals

Agency Approval Document

English