# 2205073-2 - ACTIVE


### Micro-MaTch | Micro-MaTch Industrial

TE Internal #: 2205073-2 MICRO-MATCH MOW to MICRO-MATCH Cable Assembly, 14 Positions, .492 ft [.15 m], Gray Cable, 28 AWG, 159.8 – 159.88 mm², Ribbon Cable

### View on TE.com >



Cable Assemblies > Copper Cable Assemblies > Pluggable I/O Cable Assemblies > MICRO-MATCH STD PB TO MOW CABLE ASSY



Cable Assembly Type: MICRO-MATCH MOW to MICRO-MATCH

Keyed Position: 1

Equalized: No

Wire Size: 159.8 – 159.88 mm<sup>2</sup>

### All MICRO-MATCH STD PB TO MOW CABLE ASSY (25)

## Features

### **Product Type Features**

Cable Assembly Category

Industry Standard

Cable Assembly Type

MICRO-MATCH MOW to MICRO-MATCH

| Connector Type (End A)     | MICRO-MATCH MOW Plug |
|----------------------------|----------------------|
| Connector Type (End B)     | MICRO-MATCH Plug     |
| Cable Style                | Ribbon Cable         |
| Configuration Features     |                      |
| Keyed Position             | 1                    |
| Number of Positions        | 14                   |
| Number of Signal Positions | 14                   |
| Body Features              |                      |
| Equalized                  | No                   |
| Cable Color                | Gray                 |
| Cable Flammability Rating  | UL 2651              |
| Mechanical Attachment      |                      |
| Mating Alignment           | With                 |
| Dimensions                 |                      |
|                            |                      |

**C** For support call+1 800 522 6752

09/27/2023 10:04AM | Page 1

## 2205073-2

MICRO-MATCH MOW to MICRO-MATCH Cable Assembly, 14 Positions, .492 ft [.15 m], Gray Cable, 28 AWG, 159.8 – 159.88 mm<sup>2</sup>, Ribbon Cable



| Wire Size   | 159.8 – 159.88 mm²     |
|---|------------------------|
| Operation/Application   |                        |
| Shielded  | No                     |
| Halogen Free  | No                     |
| Other   |                        |
| Cable Assembly Configuration  | Double Ended           |
| Cable Assembly Length   | .15 m[.492 ft]         |
| •   |                        |
| •   | Compliant              |
| or compliance documentation, visit the product page on TE.com>                                  | Compliant<br>Compliant |
| For compliance documentation, visit the product page on TE.com><br>EU RoHS Directive 2011/65/EU |                        |
| EU ELV Directive 2000/53/EC   | Compliant              |

Halogen Content

## Solder Process Capability

Not Low Halogen - contains Br or Cl > 900 ppm.

Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

# **Compatible Parts**

## 2205073-2


MICRO-MATCH MOW to MICRO-MATCH Cable Assembly, 14 Positions, .492 ft [.15 m], Gray Cable, 28 AWG, 159.8 – 159.88 mm², Ribbon Cable





TE Part # CAT-M5833-F3492A Female-on-Board Connector, Top Entry

# Also in the Series | Micro-MaTch Industrial







Wire-to-Board Connector Contacts(4)

# Customers Also Bought



# Documents

Product Drawings CA MICRO-MATCH MOW-PB 14POS

English

**Product Specifications Application Specification** English

**C** For support call+1 800 522 6752

## 2205073-2

MICRO-MATCH MOW to MICRO-MATCH Cable Assembly, 14 Positions, .492 ft [.15 m], Gray Cable, 28 AWG, 159.8 – 159.88 mm², Ribbon Cable



micro match miniature connector system

English