

LUMAWISE

TE Internal #: 2213616-3

PCB Mount Hermaphroditic Connector, Horizontal, Board-to-

Board, 6 Position, 4 mm Centerline, Gold, Surface Mount, Power &

Signal, Natural

View on TE.com >



Connectors > PCB Connectors > PCB Headers & Receptacles











PCB Connector Assembly Type: PCB Mount Hermaphroditic Connector

PCB Mount Orientation: Horizontal Connector System: Board-to-Board

Number of Positions: 6 Centerline (Pitch): 4 mm

Features

Product Type Features

| PCB Connector Assembly Type | PCB Mount Hermaphroditic Connector |
|-----------------------------|------------------------------------|
| Connector System | Board-to-Board |
| Sealable | No |

Configuration Features

| PCB Mount Orientation | Horizontal |
|------------------------------|------------|
| Number of Positions | 6 |
| Board-to-Board Configuration | Co-Planar |

Body Features

| Primary Product Color | Natural | |
|-----------------------|---------|--|
| Contact Features | | |

| Mating Tab Width | 3.05 mm[.12 in] |
|---|-----------------|
| Mating Tab Thickness | .4 mm[.016 in] |
| Contact Mating Area Plating Material Finish | Matte |
| Contact Underplating Material | Nickel |



| Contact Mating Area Plating Material | Gold |
|--|----------------|
| Contact Mating Area Plating Material Thickness | 1.52 – 3.04 μm |
| Contact Type | Hermaphroditic |
| Contact Current Rating (Max) | 6 A |
| Termination Features | |
| Rectangular Termination Post & Tail Thickness | .4 mm[.016 in] |
| Rectangular Termination Post & Tail Width | 1 mm[.04 in] |
| Termination Method to Printed Circuit Board | Surface Mount |
| Mechanical Attachment | |
| PCB Mount Alignment Type | Peg |
| Mating Alignment | Without |
| PCB Mount Retention | Without |
| PCB Mount Alignment | With |
| Connector Mounting Type | Board Mount |
| Housing Features | |
| Centerline (Pitch) | 4 mm |
| Housing Material | LCP |
| Usage Conditions | |
| Operating Temperature Range | -40 – 105 °C |
| Operation/Application | |
| Circuit Application | Power & Signal |
| Industry Standards | |
| UL Flammability Rating | UL 94V-0 |
| Packaging Features | |
| Packaging Type | Tape & Reel |
| | p |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |



| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC |
|--|--|
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought





















Documents

Product Drawings

HERM BLADE & RECPT,6 POS,POST,SEL GOLD

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2213616-3_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2213616-3_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2213616-3_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Hermaphroditic Connectors with Select Gold Plating Flyer

Hermaphroditic Connectors with Select Gold Plating Flyer

English

Product Specifications

Application Specification

English

Agency Approvals

PCB Mount Hermaphroditic Connector, Horizontal, Board-to-Board, 6 Position, 4 mm Centerline, Gold, Surface Mount, Power & Signal, Natural



UL Report

English