

TE Internal #: 2227023-1

SFP, SFP+ & zSFP+, Cage, Data Rate (Max) 4 Gb/s, Internal

/External EMI Springs, SFP, Not Optional, 1 x 1, Through Hole -

Press-Fit, 1 Port

View on TE.com >





#### Connectors > Pluggable IO Connectors & Cages > SFP, SFP+ & zSFP+











Pluggable I/O Product Type: Cage

Data Rate (Max): 4 Gb/s

EMI Containment Feature Type: Internal/External EMI Springs

Pluggable I/O Applications: SFP Lightpipe Options: Not Optional

# **Features**

## Product Type Features

Troduct Type reductor	
Form Factor	SFP
Cage Type	Single
Pluggable I/O Product Type	Cage
Lightpipe Options	Not Optional
Connector System	Cable-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Port Matrix Configuration	1 × 1
Number of Ports	1
Electrical Characteristics	
Data Rate (Max)	4 Gb/s
Termination Features	

3 mm[.118 in]

Termination Post & Tail Length



Termination Method to Printed Circuit Board	Through Hole - Press-Fit
---	--------------------------

#### **Mechanical Attachment**

Connector Mounting Type Board Mount	
-------------------------------------	--

# **Housing Features**

Cage Material	Stainless Steel	

## Dimensions

PCB Thickness (Recommended)	1.5 mm[.059 in]
-----------------------------	-----------------

# **Usage Conditions**

Operating Temperature Range -55 – 105 °C	[-67 – 221 °F]

# Operation/Application

Heat Sink Compatible	No
For Use With Pluggable I/O Products	SFP SMT Connector
Pluggable I/O Applications	SFP

# Packaging Features

#### Other

EMI Containment Feature Type	Internal/External EMI Springs
<i>7</i> I	$\mathbf{I}$

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



TE Part # CAT-SF59-C76264 SFP Connectors



TE Part # 1888901-1 SFP+ EMI Plug



TE Part # 1367147-1
SFP COVER, UNPLATED



TE Part # 1367147-3 SFP COVER, UNPL, NO LOGO



TE Part # 1761394-1
DUST COVER, SFP, GANGED &
STACKED



TE Part # 2215077-4
ASSY, SEATING TOOL, SFP


# Customers Also Bought



TE Part #1658628-2
PRESS FIT 2X1 REDUCED PROFILE



TE Part #1367073-2 20 POS SMT CONN, SFP, 30AU



TE Part #4-1609157-6
3EJT8F=F8142A













### **Documents**

## **Product Drawings**

CAGE ASSY PRESS FIT, SFP

English

#### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2227023-1\_A\_c-2227023-1-a.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2227023-1\_A\_c-2227023-1-a.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2227023-1\_A\_c-2227023-1-a.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## **Product Specifications**

**Application Specification** 

English

# **Product Environmental Compliance**

**Product Compliance Document** 

English

**Product Compliance Document** 

English