

2227582-1 ✓ ACTIVE



Mini-SAS HD

TE Internal #: 2227582-1

Internal Mini-SAS HD, Receptacle, Cable-to-Board, 144 Position, 4 Row, 4 Port, Right Angle, Through Hole - Press-Fit, Mini-SAS HD

[View on TE.com >](#)

Connectors > PCB Connectors > SAS & MiniSAS > Internal Mini-SAS HD Receptacles



SAS Connector Type: **Internal Mini-SAS HD**

Connector & Housing Type: **Receptacle**

Connector System: **Cable-to-Board**

Number of Positions: **144**

Number of Rows: **4**

[All Internal Mini-SAS HD Receptacles \(6\)](#)

Features

Product Type Features

| | |
|-----------------------------------|-----------------------|
| Shell | Without |
| SAS Connector Type | Internal Mini-SAS HD |
| Connector & Housing Type | Receptacle |
| Connector System | Cable-to-Board |
| Connector & Contact Terminates To | Printed Circuit Board |

Configuration Features

| | |
|-----------------------|-------------|
| Number of Positions | 144 |
| Number of Rows | 4 |
| Number of Ports | 4 |
| PCB Mount Orientation | Right Angle |

Body Features

| | |
|-----------------------|-------|
| Primary Product Color | Black |
|-----------------------|-------|

Contact Features



| | |
|---|--------------|
| Contact Mating Area Plating Material | Gold |
| Contact Underplating Material | Nickel |
| PCB Contact Termination Area Plating Material | Tin |
| Contact Base Material | Copper Alloy |

Termination Features

| | |
|---|--------------------------|
| Termination Method to Printed Circuit Board | Through Hole - Press-Fit |
|---|--------------------------|

Mechanical Attachment

| | |
|--------------------------|----------|
| PCB Mount Retention | With |
| PCB Mount Retention Type | M2 Screw |

Housing Features

| | |
|--------------------|------------------------------|
| Housing Material | LCP (Liquid Crystal Polymer) |
| Centerline (Pitch) | .75 mm[.029 in] |

Dimensions

| | |
|-------------------------|------------------|
| Profile Height from PCB | 13.9 mm[.547 in] |
|-------------------------|------------------|

Usage Conditions

| | |
|-----------------------------|---------------------------|
| High Temperature Housing | Yes |
| Operating Temperature Range | -55 – 85 °C[-67 – 185 °F] |

Operation/Application

| | |
|---------------------|--------|
| Circuit Application | Signal |
|---------------------|--------|

Industry Standards

| | |
|------------------------|----------|
| UL Flammability Rating | UL 94V-0 |
|------------------------|----------|

Packaging Features

| | |
|------------------|------------|
| Packaging Method | Box & Tray |
|------------------|------------|

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

| | |
|---|--|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) |



Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-MHD6907-C117
Mini-SAS HD Cages



TE Part # 2274680-1
MINISAS HD 1X4 REC ASSY W/
WELD; AU ONLY

Also in the Series | Mini-SAS HD



Mini-SAS Cages(11)



Pluggable I/O Cable Assemblies(18)




SAS & MiniSAS(10)



SATA & Micro SATA(1)

Customers Also Bought



Documents

Product Drawings

1X4 R/A ASSY, MINI SAS HD INTERNAL

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_2227582-1_A.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2227582-1_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2227582-1_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications



Application Specification

English

Agency Approvals

UL Report

English