

Mini-SAS HD

TE Internal #: 2227595-1 Internal Mini-SAS HD, Receptacle, Cable-to-Board, 36 Position, 4 Row, 1 Port, Vertical, Through Hole - Press-Fit, Mini-SAS HD View on TE.com >



Connectors > PCB Connectors > SAS & MiniSAS > Internal Mini-SAS HD Receptacles



SAS Connector Type: Internal Mini-SAS HD

Connector & Housing Type: Receptacle

Connector System: Cable-to-Board

Number of Positions: 36

Number of Rows: 4

All Internal Mini-SAS HD Receptacles (6)

Features

Product Type Features

Shell

SAS Connector Type

Without

Internal Mini-SAS HD

SAS Connector Type	Internal Mini-SAS HD
Connector & Housing Type	Receptacle
Connector System	Cable-to-Board
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Number of Positions	36
Number of Rows	4
Number of Ports	1
PCB Mount Orientation	Vertical
Body Features	
Primary Product Color	Black
Contact Features	
Contact Mating Area Plating Material	Gold
Contact Underplating Material	Nickel
PCB Contact Termination Area Plating Material	Tin

2227595-1

Internal Mini-SAS HD, Receptacle, Cable-to-Board, 36 Position, 4 Row, 1 Port, Vertical, Through Hole - Press-Fit, Mini-SAS HD



Termination Features	
Termination Method to Printed Circuit Board	Through Hole - Press-Fit
Mechanical Attachment	
PCB Mount Retention	With
PCB Mount Retention Type	M2 Screw
Housing Features	
Housing Material	LCP (Liquid Crystal Polymer)
Centerline (Pitch)	.75 mm[.029 in]
Dimensions	
Profile Height from PCB	14.2 mm[.559 in]
Usage Conditions	
High Temperature Housing	Yes
Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Box & Tray
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU RoHS Directive 2011/65/EU EU ELV Directive 2000/53/EC	Compliant
	Compliant
EU ELV Directive 2000/53/EC	

2227595-1

Internal Mini-SAS HD, Receptacle, Cable-to-Board, 36 Position, 4 Row, 1 Port, Vertical, Through Hole - Press-Fit, Mini-SAS HD



Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts







Also in the Series | Mini-SAS HD




Customers Also Bought

2227595-1

Internal Mini-SAS HD, Receptacle, Cable-to-Board, 36 Position, 4 Row, 1 Port, Vertical, Through Hole - Press-Fit, Mini-SAS HD





Documents

Product Drawings 1X1 VERT ASSY, MINI SAS HD INTERNAL

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_2227595-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2227595-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2227595-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

Agency Approvals UL Report

English