




Connectors > RF Connectors > RF Terminators



Contact Current Rating (Max): 1 A

Circuit Application: **Signal**

Operating Temperature Range: -55 – 80 °C [-67 – 176 °F]

### Features

#### Body Features

Body Plating Material	Tin
Body Material	Brass

#### Contact Features

RF Connector Center Contact Plating Material	Tin-Lead
Crimp Type	Braid & Center Conductor Termination
RF Connector Center Contact Material	Brass
Contact Current Rating (Max)	1 A

#### Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-55 – 80 °C[-67 – 176 °F]

#### Operation/Application

Circuit Application	Signal
---------------------	--------

#### Packaging Features

Packaging Method	Strip
------------------	-------

### Product Compliance


[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	<p>Current ECHA Candidate List: JUNE 2023 (235)</p> <p>Candidate List Declared Against: JAN 2022 (223)</p> <p>SVHC &gt; Threshold:</p> <p>Pb (40% in Component Part)</p> <p><b>Article Safe Usage Statements:</b> Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.</p>
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Customers Also Bought



TE Part #643075-3  
03P MTA100 MOLDED COVER



TE Part #53941-1  
TERMINAL, PIDG R 16-14 8



TE Part #5-747913-2  
25 Rcpt Solder Cup, Gold Flash



TE Part #5-747908-2  
15 Plug Solder Cup, Gold Flash



## Documents

### Product Drawings

#### COAX PCB PICK TYPE TERMIN

English

### CAD Files

#### 3D PDF

3D

#### Customer View Model

[ENG\\_CVM\\_CVM\\_226177-2\\_AH.2d\\_dxf.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_226177-2\\_AH.3d\\_igs.zip](#)

English

#### Customer View Model

[ENG\\_CVM\\_CVM\\_226177-2\\_AH.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Product Specifications

#### Product Specification

English

#### COAXICON PC Board Contact (Permanent Mound, Pick Type)

English

### Product Environmental Compliance

#### Product Compliance

English



[Product Compliance](#)

English

---

[Instruction Sheets](#)

[Instruction Sheet \(U.S.\)](#)

English

[AMP\\* BRAID-PIC TERMINALS FOR PRINTED CIRCUIT BOARD APPLICATIONS](#)

English