
# 2273015-1 - ACTIVE

TE Internal #: 2273015-1 M8 Pigtail Cable Assembly, 4 Position, .2 m, Sensor/Actuator, Code A, M8 Socket, Single Ended, Plastic View on TE.com >



Cable Assemblies > Copper Cable Assemblies > M8/M12 Cable Assemblies



M8/M12 Application Type: Sensor/Actuator

Number of Positions: 4

Connector & Keying Code: A

Connector Type (End A): M8 Socket

Cable Assembly Type: M8 Pigtail

#### Features

#### **Product Type Features**

Connector Type (End A)	M8 Socket	
Cable Assembly Type	M8 Pigtail	
Configuration Features		
Number of Positions	4	

#### **Electrical Characteristics**

Operating Voltage	60 VAC
Body Features	
Connector Color (End A)	Blue
Wire Color (Base)	Brown, White, Blue, Black
Connector & Keying Code	A
Contact Features	
Contact Current Rating (Max)	4 A
Mechanical Attachment	
Mechanical Attachment Thread Size	M8
	M8 Straight
Thread Size	
Thread Size Connector Orientation (End A)	
Thread Size Connector Orientation (End A) Housing Features	Straight

**C** For support call+1 800 522 6752

#### 2273015-1

M8 Pigtail Cable Assembly, 4 Position, .2 m, Sensor/Actuator, Code A, M8 Socket, Single Ended, Plastic



Outside Cable Diameter	3 mm[.188 in]
Wire Size	.205 mm <sup>2</sup>
Usage Conditions	
Operating Temperature Range	-40 – 80 °C[-40 – 176 °F]
Operation/Application	
M8/M12 Application Type	Sensor/Actuator
Shielded	No
Packaging Features	
Packaging Method	Box
Other	
Field Serviceable	Yes
Cable Assembly Length	.2 m
Cable Assembly Configuration	Single Ended

#### Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2	2011/65/EU
---------------------	------------

#### Compliant

EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on

#### 2273015-1

M8 Pigtail Cable Assembly, 4 Position, .2 m, Sensor/Actuator, Code A, M8 Socket, Single Ended, Plastic



requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

## **Compatible Parts**



## Customers Also Bought







### Documents

Product Drawings

M8 Female Panel Mld Rear Mt M8 fast pigt

English

CAD Files

3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_2273015-1\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_2273015-1\_A.3d\_igs.zip

#### 2273015-1

M8 Pigtail Cable Assembly, 4 Position, .2 m, Sensor/Actuator, Code A, M8 Socket, Single Ended, Plastic



English

Customer View Model ENG\_CVM\_CVM\_2273015-1\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

### M8 / M12 Connector System Catalog

English

M8 / M12 Connector System Catalog

Japanese

Product Specifications

**Product Specification** 

English