# 

#### RAYCHEM

TE Internal #: 228339-000 Twisted Pair Cable, MIL-DTL-27500, 600VAC Voltage Rating, Tin-Coated Copper, 22 AWG Wire Size, Operating Temperature Range -65 – 150 °C

View on TE.com >

Wire & Cable > Twisted Pair Cable



Cable Type: MIL-DTL-27500 Voltage Rating: 600 VAC Wire & Cable Insulation Material: Modified Radiation Cross-linked PVDF Conductor Material: Tin-Coated Copper Wire Size: 22 AWG

### Features

### **Electrical Characteristics**

Voltage Rating



600 VAC

### **Body Features**

Wire & Cable Insulation Material	Modified Radiation Cross-linked PVDF
Conductor Material	Tin-Coated Copper
Dimensions	
Wire Size	22 AWG
Usage Conditions	
Cable Type	MIL-DTL-27500
Operating Temperature Range	-65 – 150 °C
Product Compliance	
For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235)

### 44AM1141-22-MST4-9CS2275

# Twisted Pair Cable, MIL-DTL-27500, 600VAC Voltage Rating, Tin-Coated Copper, 22 AWG Wire Size, Operating Temperature Range -65 – 150 °C



Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC

Out of Scope - excluded from Halogen requirements

Not applicable for solder process capability

Halogen Content

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**



TE Part # 650074-000 D-436-36


## **Customers Also Bought**



### 44AM1141-22-MST4-9CS2275

Twisted Pair Cable, MIL-DTL-27500, 600VAC Voltage Rating, Tin-Coated Copper, 22 AWG Wire Size, Operating Temperature Range -65 – 150 °C





### Documents

**Product Drawings** 44AM1141-22-MST4-9CS2275

English

Datasheets & Catalog Pages 1654025\_Sec9\_SPEC44

English

### Raychem Wire and Cable Quick Reference Guide

English

**Product Specifications Product Specification** 

English