

Sliver for SFF-TA-1002

TE Internal #: 2292069-1 Internal I/O Connectors, TE Sliver, Cable Plug Assembly, Right Angle, Cable-to-Board, 74 Position, Surface Mount, Sliver for SFF-TA-1002

View on TE.com >

Connectors > PCB Connectors > Internal I/O Connectors



Internal I/O Connector Type: **TE Sliver** Connector Mates With: **Cable Plug Assembly** PCB Mount Orientation: **Right Angle** Connector System: **Cable-to-Board**

Number of Positions: 74

Features



Product Type Features

Internal I/O Connector Type	TE Sliver				
Connector Mates With	Cable Plug Assembly				
Connector System	Cable-to-Board				
Connector & Contact Terminates To	Printed Circuit Board				
Configuration Features					
Number of Rows	2				
PCB Mount Orientation	Right Angle				
Number of Positions	74				
Contact Features					
Contact Mating Area Plating Material	Gold				
Contact Underplating Material	Nickel				
PCB Contact Termination Area Plating Material	Tin				
Contact Base Material	Copper Alloy				
Contact Current Rating (Max)	.9 A				

C For support call+1 800 522 6752

Internal I/O Connectors, TE Sliver, Cable Plug Assembly, Right Angle, Cable-to-Board, 74 Position, Surface Mount, Sliver for SFF-TA-1002



Contact Mating Area Plating Material Thickness	.762 μm[30 μin]
Termination Features	
Termination Method to Printed Circuit Board	Surface Mount
Mechanical Attachment	
Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	.6 mm[.023 in]
Usage Conditions	
Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]
Operation/Application	
Circuit Application	Signal
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshol

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Reflow solder capable to 260°C


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Internal I/O Connectors, TE Sliver, Cable Plug Assembly, Right Angle, Cable-to-Board, 74 Position, Surface Mount, Sliver for SFF-TA-1002




Compatible Parts



TE Part # 2821639-2

TE Part # 2821745-1



TE Part # 2821745-2


TE Part # 2821746-1

SLIVER C/A, 74P, STR TO R/A, 10GHZ, 85OHM

SLIVER C/A, 74P, R/A TO R/A, 25GHZ 85OHM SLIVER C/A, 74P, R/A TO R/A, 25GHZ 85OHM SLIVER C/A, 74P, STR TO R/A, 25GHZ 85OHM



TE Part # 2821746-2 SLIVER C/A, 74P, STR TO R/A, 25GHZ 85OHM



TE Part # 2821753-1 SLIVER C/A, 74P, STR TO STR,10GHZ, 100OHM



TE Part # 2821753-2 SLIVER C/A, 74P, STR TO STR,10GHZ, 100OHM



TE Part # 2821754-1 SLIVER C/A, 74P, R/A TO R/A,10GHZ, 1000HM



Also in the Series | Sliver for SFF-TA-1002

C For support call+1 800 522 6752

09/18/2023 07:52PM | Page 3

Internal I/O Connectors, TE Sliver, Cable Plug Assembly, Right Angle, Cable-to-Board, 74 Position, Surface Mount, Sliver for SFF-TA-1002





Customers Also Bought



Keyed Guide Pin, Machined	MBXLE VERT RCPT 7ACP	ATCA GUIDE MODULE RA FEMALE	VERT RECPT, MULTI-BEAM XLE, VITA
			62



TE Part #2226996-1 DC, 7ROW, P0, TRUE HALF, MULTIGIG RT 2-R

Documents

Product Drawings RCPT ASSEMBLY SMT RA 74 POSN MBC

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2292069-1_C.2d_dxf.zip

Internal I/O Connectors, TE Sliver, Cable Plug Assembly, Right Angle, Cable-to-Board, 74 Position, Surface Mount, Sliver for SFF-TA-1002



English

Customer View Model ENG_CVM_CVM_2292069-1_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2292069-1_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages Sliver Internal Cabled Interconnect Solutions Brochure (Chinese)

Product Environmental Compliance MD_2292069-1_09192017646_dmtec

English

MD_2292069-1_09192017646_dmtec

English

Agency Approvals UL Report

English