



TE Internal #: 2300275-1  
 SFP, SFP+ & zSFP+, Cage Assembly, Data Rate (Max) 28 Gb/s,  
 Internal/External EMI Springs, EMI Enhanced, Not Optional, 1 x 4,  
 Through Hole - Press-Fit

[View on TE.com >](#)

Connectors > Pluggable IO Connectors & Cages > SFP, SFP+ & zSFP+ > zSFP+ Cage Assembly: EMI Springs



Pluggable I/O Product Type: **Cage Assembly**  
 Data Rate (Max): **28 Gb/s**  
 EMI Containment Feature Type: **Internal/External EMI Springs**  
 Pluggable I/O Applications: **EMI Enhanced**  
 Lightpipe Options: **Not Optional**

[All zSFP+ Cage Assembly: EMI Springs \(25\)](#)

## Features

### Product Type Features

Form Factor	zSFP+
Cage Type	Ganged
Pluggable I/O Product Type	Cage Assembly
Lightpipe Options	Not Optional
Connector System	Cable-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board

### Configuration Features

Port Matrix Configuration	1 x 4
Number of Ports	4

### Electrical Characteristics

Data Rate (Max)	28 Gb/s
-----------------	---------

### Termination Features



Termination Post & Tail Length	2.05 mm[.071 in]
Termination Method to Printed Circuit Board	Through Hole - Press-Fit

### Mechanical Attachment

Connector Mounting Type	Board Mount
-------------------------	-------------

### Housing Features

Cage Material	Nickel Silver Alloy
---------------	---------------------

### Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
-----------------------------	----------------------------

### Operation/Application

Heat Sink Compatible	No
For Use With Pluggable I/O Products	zSFP+ SMT Connector
Pluggable I/O Applications	EMI Enhanced
Circuit Application	Signal

### Packaging Features

Packaging Method	Tray
------------------	------

### Other

Pluggable I/O Connectors Comment	Designed for belly-to-belly use with 1-2180324-9.
EMI Containment Feature Type	Internal/External EMI Springs

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts



TE Part # CAT-C11-N490333  
QSFP28-Four SFP+ Cable Assembly:  
30 AWG



TE Part # CAT-C11-N490325  
QSFP28-Four SFP+ Cable Assembly:  
26 AWG



TE Part # CAT-C11-N4901114  
SFP28 to SFP28 Cable Assembly: 30  
AWG



TE Part # CAT-C11-N49011  
SFP28 to SFP28 Cable Assembly: 26  
AWG



TE Part # CAT-Q17-N49011  
QSFP56-Four SFP56 Cable Assembly:  
30 AWG



TE Part # CAT-Q17-N490333  
QSFP56-Four SFP56 Cable Assembly:  
26 AWG



TE Part # 4-2821222-5  
SFP56 DIRECT ATTACH CA, 2M,  
30AWG



TE Part # 4-2821224-5  
SFP56 DIRECT ATTACH CA, 3M,  
26AWG



TE Part # 4-2334985-2  
SFP56 DIRECT ATTACH CA, 1M,  
32AWG



TE Part # 2334985-2  
SFP28 DIRECT ATTACH CA, 1M,  
32AWG



TE Part # CAT-C11-N490111  
SFP28 to SFP28 Cable Assembly: 28  
AWG



TE Part # 2185239-7  
ASSY SEATING TOOL, SFP+


### Customers Also Bought



TE Part #6469081-1  
HMZD 3PR, RECEPTACLE ASSEMBLY



TE Part #6469001-1  
HM-ZD 4PR RECP 80P



TE Part #6469002-1  
HM-ZD 4PR HDR 80P 5.2MM



TE Part #6469028-1  
HM-ZD 2PR RECP 40P



TE Part #1551920-2  
zQSFP+ connector assembly




TE Part #2170790-2  
CAGE ASSY, 1X4, QSFP28, SPRING,  
HS, LP




TE Part #2-2333126-2  
CAGE ASSY, QSFP-DD 1X1,  
STANDARD, 4LP



TE Part #2227104-5  
1X2 CAGE ASSY, BHND BEZEL,  
QSFP28



TE Part #2344645-3  
zSFP+ STACKED BELLY TO BELLY,  
2X4 RECPT



TE Part #2394501-1  
Power CA\_lug to rapid lock, 4AWG,  
Black

## Documents

### Product Drawings

[zSFP+ 1x4 Cage Assembly, Press-Fit](#)

English

### CAD Files

[3D PDF](#)

3D

[Customer View Model](#)

[ENG\\_CVM\\_CVM\\_2300275-1\\_A.2d\\_dxf.zip](#)

English

[Customer View Model](#)

[ENG\\_CVM\\_CVM\\_2300275-1\\_A.3d\\_igs.zip](#)

English

[Customer View Model](#)

[ENG\\_CVM\\_CVM\\_2300275-1\\_A.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

### Product Specifications



### Application Specification

English

---

### Product Environmental Compliance

[MD\\_2300275-1\\_020720181317\\_dmtec](#)

English

[MD\\_2300275-1\\_020720181317\\_dmtec](#)

English