

zQSFP+/QSFP28

TE Internal #: 2315050-1

QSFP, QSFP+ & zQSPF+, Cage Assembly, 1 x 2, Customer Applied Gasket, Included Lightpipe, 2 Port, Quad Round, zQSFP+/QSFP28


View on TE.com >



Connectors > Pluggable IO Connectors & Cages > QSFP, QSFP+ & zQSPF+











Pluggable I/O Product Type: Cage Assembly

Port Matrix Configuration: 1 x 2

EMI Containment Feature Type: Customer Applied Gasket

Included Lightpipe: Yes

Number of Ports: 2

Features

Product Type Features

Form Factor	QSFP28/56
Pluggable I/O Accessory Type	Lightpipe
Cage Type	1x2
Pluggable I/O Product Type	Cage Assembly
Configuration Features	
Port Matrix Configuration	1 x 2
Number of Ports	2
Lightpipe Configuration	Quad Round
Number of Rear EONs per Port Column	0
Number of Positions	0
Housing Features	
Cage Material	Nickel Silver Alloy
Dimensions	

1.57 mm

PCB Thickness (Recommended)



Usage Conditions

Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]
Operation/Application	
For Use With Pluggable I/O Products	QSFP MSA Compatible Transceiver
Pluggable I/O Applications	QSFP28
Packaging Features	

rackaging reatures

Packaging Method Box & Tray

Other

EMI Containment Feature Type	Customer Applied Gasket
Included Lightpipe	Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts





TE Part # CAT-C11-Z806726 QSFP28 to QSFP28 Cable Assembly: 30 AWG



TE Part # CAT-C11-N49 QSFP28-Two QSFP28 Cable Assembly: 30 AWG



TE Part # CAT-C11-Z8 QSFP28 to QSFP28 Cable Assembly: 26 AWG



TE Part # CAT-C11-N490333 QSFP28-Four SFP+ Cable Assembly: 30 AWG



TE Part # CAT-C11-N490325 QSFP28-Four SFP+ Cable Assembly: 26 AWG



TE Part # CAT-Q17-N490325 QSFP56 to QSFP56 Cable Assembly: 30 AWG



TE Part # CAT-Q17-N49033 QSFP56-Two QSFP56 Cable Assembly: 30 AWG



TE Part # CAT-C11-Q17 QSFP56 to QSFP56 Cable Assembly: 26 AWG



TE Part # CAT-Q17-N49011 QSFP56-Four SFP56 Cable Assembly: 30 AWG



TE Part # CAT-Q17-N490333 QSFP56-Four SFP56 Cable Assembly: 26 AWG



TE Part # 2215091-2 ASSY SEATING TOOL ZQSFP+ 1X2

Also in the Series | zQSFP+/QSFP28



Heat Sinks(1)



Pluggable I/O Cable Assemblies(81)



QSFP, QSFP+ & zQSPF+(425)

Customers Also Bought






CAGE ASSY, QSFP28 1X1, SPRING, HS









Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2315050-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2315050-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2315050-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English