
# AV1911RA12Q04 VACTIVE

### Alcoswitch | Alcoswitch AV19

TE Internal #: 2317404-7 Push Button Switches, Single Pole - Single Throw Configuration (Pole-Throw), Switch, Single Actuator, Flush Actuator Profile, Alcoswitch AV19

#### View on TE.com >

Relays, Contactors & Switches > Switches > Push Button Switches



Configuration (Pole-Throw): Single Pole - Single Throw

Push Button Switch Product Type: Switch

Number of Actuators: Single

Actuator Profile: Flush

Bushing Style: Threaded

### Features

### Product Type Features

Switch TypePushbuttonDust ProofYesPush Button Switch Product TypeSwitchIlluminatedYesIlluminatedRoundActuator StyleRoundConfiguration FeaturesESD Grounding TerminalWithoutDetent StyleAudibleConfiguration (Pole Throw)Single Pole Single ThrowNumber of ActuatorsSingleSnap ActionWithoutSupport BracketWithoutTactileNoOperating FunctionOn OffEstrical CharacteristicsSto VACBody FeaturesSto VAC		
Push Button Switch Product TypeSwitchIlluminatedYesActuator StyleRoundConfiguration FeaturesESD Grounding TerminalWithoutDetent StyleAudibleConfiguration (Pole-Throw)Single Pole - Single ThrowNumber of ActuatorsSingleSupport BracketWithoutTactileNoOperating FunctionOn OffElectrical CharacteristicsYou Son You Son	Switch Type	Pushbutton
IlluminatedYesIlluminatedRoundActuator StyleRoundConfiguration FeaturesVithoutESD Grounding TerminalWithoutDetent StyleAudibleConfiguration (Pole-Throw)Single Pole - Single ThrowNumber of ActuatorsSingleSnap ActionWithoutSupport BracketWithoutTactileNoOperating FunctionOn OffElectrical CharacteristicsSio VAC	Dust Proof	Yes
Actuator StyleRoundConfiguration FeaturesESD Grounding TerminalWithoutDetent StyleAudibleConfiguration (Pole-Throw)Single Pole - Single ThrowNumber of ActuatorsSingleSnap ActionWithoutSupport BracketWithoutTactileNoOperating FunctionOn OffElectrical CharacteristicsSto VAC	Push Button Switch Product Type	Switch
Configuration FeaturesESD Grounding TerminalWithoutDetent StyleAudibleConfiguration (Pole-Throw)Single Pole - Single ThrowNumber of ActuatorsSingle Pole - Single ThrowSnap ActionWithoutSupport BracketWithoutTactileNoOperating FunctionOn OffElectrical Characteristics250 VAC	Illuminated	Yes
ESD Grounding TerminalWithoutDetent StyleAudibleConfiguration (Pole-Throw)Single Pole - Single ThrowNumber of ActuatorsSingleSnap ActionWithoutSupport BracketWithoutTactileNoOperating FunctionOn OffElectrical CharacteristicsSto VAC	Actuator Style	Round
Detent StyleAudibleConfiguration (Pole-Throw)Single Pole - Single ThrowNumber of ActuatorsSingle Pole - Single ThrowSnap ActionWithoutSupport BracketWithoutTactileNoOperating FunctionOn OffElectrical CharacteristicsSio VAC	Configuration Features	
Number of ActuatorsSingle Pole - Single ThrowNumber of ActuatorsSingleSnap ActionWithoutSupport BracketWithoutTactileNoOperating FunctionOn OffElectrical CharacteristicsSio VAC	ESD Grounding Terminal	Without
Number of ActuatorsSingleSnap ActionWithoutSupport BracketWithoutTactileNoOperating FunctionOn OffHectrical CharacteristicsSinglePush Button Switch Voltage RatingSingle	Detent Style	Audible
Snap ActionWithoutSupport BracketWithoutTactileNoOperating FunctionOn OffElectrical Characteristics250 VAC	Configuration (Pole-Throw)	Single Pole - Single Throw
Support BracketWithoutTactileNoOperating FunctionOn OffElectrical CharacteristicsS0 VAC	Number of Actuators	Single
TactileNoOperating FunctionOn OffLectrical CharacteristicsSo VAC	Snap Action	Without
Operating Function On Off   Electrical Characteristics 250 VAC	Support Bracket	Without
Electrical Characteristics   Push Button Switch Voltage Rating 250 VAC	Tactile	No
Push Button Switch Voltage Rating 250 VAC	Operating Function	On Off
	Electrical Characteristics	
Body Features	Push Button Switch Voltage Rating	250 VAC
	Body Features	



### AV1911RA12Q04

Push Button Switches, Single Pole - Single Throw Configuration (Pole-Throw), Switch, Single Actuator, Flush Actuator Profile, Alcoswitch AV19



Case Material	DDT
Case Material	PBT
Actuator Profile	Flush
Bushing Style	Threaded
Contact Features	
Contact Base Material	Copper
Push Button Switch Contact Current Rating	3 A
Switch Contact Plating Material	Silver
Termination Features	
Termination Type	Wire Lugs
Mechanical Attachment	
Mounting Angle	Vertical
Push Button Switch Mounting Type	Panel
Housing Features	
Process Sealed	Yes
Industry Standards	
IP Rating	IP67

### Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (4% in Component Part) Aticle Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

### AV1911RA12Q04

Push Button Switches, Single Pole - Single Throw Configuration (Pole-Throw), Switch, Single Actuator, Flush Actuator Profile, Alcoswitch AV19



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


## **Compatible Parts**





TE Part # 2213767-3 AV19 SPM 5A MOVE RING LED WHITE 24V

## Also in the Series | Alcoswitch AV19




**Customers Also Bought** 

### AV1911RA12Q04

Push Button Switches, Single Pole - Single Throw Configuration (Pole-Throw), Switch, Single Actuator, Flush Actuator Profile, Alcoswitch AV19





### Documents

Product Drawings AV19 SPL 3A FIXED RING R&G 12V

English

CAD Files 3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_2317404-7\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2317404-7\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2317404-7\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages ALCOSWITCH Anti-Vandal Switch flyer

English

Agency Approvals UL Report

English