TE Internal #: 2319757-1

LGA Sockets, LGA 257, 257 Position, .039 in [1 mm] Centerline,


Surface Mount Mount, Grid Spacing 1 x 1 mm [.039 x .039 in], Panel

Mount

View on TE.com >



Connectors > Socket Connectors > IC Sockets > LGA Sockets



IC Socket Type: LGA 257

Connector System: Board-to-Board

Number of Positions: 257

Contact Mating Area Plating Material Thickness: [30 µin]

Centerline (Pitch): 1 mm [.039 in]

Features

Product Type Features	
Connector System	Board-to-Board
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Number of Positions	257
Grid Spacing	1 x 1 mm[.039 x .039 in]
Body Features	
Frame Style	C Shape
Contact Features	
Contact Mating Area Plating Material	Gold
Contact Base Material	Copper Alloy

Mechanical Attachment

Contact Current Rating (Max)

IC Socket Type

PCB Mounting Style	Surface Mount
Connector Mounting Type	Panel Mount

LGA 257

30 µin

1 A

Housing Features



Housing Material	High Temperature Thermoplastic
Housing Color	Black
Centerline (Pitch)	1 mm[.039 in]
Usage Conditions	
Operating Temperature Range	-25 – 100 °C
Operation/Application	
Circuit Application	Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Tray Color	White
Packaging Method	Tray

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUN 2018 (191) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



Compatible Parts





Customers Also Bought















TE Part #1932164-1 CONNECTOR ASSEMBLY,STRADDLE MOUNT POWER

TE Part #1902826-1 C/A, MBXL, 3ACP TO RING TONGUE & FASTON

TE Part #2117412-1 C/A, MUTIBEAM 3 POSN TO RING TONGUE

Documents

Product Drawings
DUAL LGA,257 POS, DMD SOCKET

English

CAD Files
3D PDF



3D

Customer View Model

ENG_CVM_CVM_2319757-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2319757-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2319757-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English