SSRMP-240D10R <


Potter & Brumfield SSRMP Mini-Puck

TE Internal #: 2323802-9 Power Relays, Solid State, 1 Form A (SPST-NO), Panel Mount, Potter & Brumfield SSRMP Mini-Puck

View on TE.com >



Relays, Contactors & Switches > Relays > Power Relays



Power Relay Type: Solid State

Contact Arrangement: 1 Form A (SPST-NO)

Relay Mounting Type: Panel Mount

Features

Product Type Features

Output Type

Power	Relay	Туре
-------	-------	------

Solid State

Configuration Features

Output Switching	Random
Electrical Characteristics	
Input Voltage Typical	4 – 32 VDC
Output Voltage (Max)	280 V
Output Voltage Rating (AC Relays)	24 – 280 Vrms
Output Current Rating	.1 – 10 Arms
Output Current (Min)	.1 A
Body Features	
Product Weight	18.3 g[.65 oz]
Case Color	Black
Contact Features	
Switch Arrangement	1 Form A (SPST-NO)
Contact Arrangement	1 Form A (SPST-NO)

C For support call+1 800 522 6752

SSRMP-240D10R

Power Relays, Solid State, 1 Form A (SPST-NO), Panel Mount, Potter & Brumfield SSRMP Mini-Puck



Mechanical Attachment

Coupling	Optical
Relay Mounting Type	Panel Mount
Housing Features	
Relay Housing Style	Industry Standard
Dimensions	
Dimensions (L x W x H) (Approximate)	35.5 x 21.8 1 x 23.5 mm[1.2 x .8 x .9 in]
Usage Conditions	
Operating Temperature Range	-30 – 80 °C
Operation/Application	
R-Switch & slimSSR Relays	No
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant

China RoHS 2 Directive MIIT Order No 32 2016

No Restricted Materials Above Threshold

China Rohs z Directive Milli Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

SSRMP-240D10R

Power Relays, Solid State, 1 Form A (SPST-NO), Panel Mount, Potter & Brumfield SSRMP Mini-Puck



Compatible Parts












Also in the Series | Potter & Brumfield SSRMP Mini-Puck



Customers Also Bought



SSRMP-240D10R

Power Relays, Solid State, 1 Form A (SPST-NO), Panel Mount, Potter & Brumfield SSRMP Mini-Puck







Documents

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_2323802-9_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2323802-9_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2323802-9_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages Flyer - P&B Solid State Relay SSRMP Mini Puck Series

English

SSRMP_Datasheet

English

Agency Approvals UKCA_CERT_N84_00006_C1

English