# 2333842-8 ACTIVE

#### zQSFP+/QSFP28

TE Internal #: 2333842-8

OSFP28 Cable Assembly, 16 Positions, 13.12 ft [4 m], 25 Gb/s, Black Cable, Shielded, 26 AWG, .129 mm², Madison TurboTwin - Round

Jacketed, QSFP28 Plug

View on TE.com >



Cable Assemblies > Copper Cable Assemblies > Pluggable I/O Cable Assemblies > QSFP28 to QSFP28 Cable Assembly: 26 AWG



Cable Assembly Type: **QSFP28** 

Equalized: **No** 

Wire Size: .129 mm²

Outside Cable Diameter: 9.53 mm [ .375 in ]

All QSFP28 to QSFP28 Cable Assembly: 26 AWG (10)

## **Features**

## **Product Type Features**

Cable Assembly Category	High Speed, Industry Standard
Cable Assembly Type	QSFP28
Connector Type (End A)	QSFP28 Plug
Connector Type (End B)	QSFP28 Plug
Cable Style	Madison TurboTwin - Round Jacketed
Configuration Features	
Number of Positions	16
Number of Positions  Number of Pairs	8
Number of Pairs	8
Number of Pairs  Number of Signal Positions	8
Number of Pairs  Number of Signal Positions  Electrical Characteristics	8 16

Data Rate 25 Gb/s



#### **Body Features**

Equalized	No
Cable Color	Black
Cable Flammability Rating	CL2

#### **Dimensions**

Wire Size	.129 mm²
Outside Cable Diameter	9.53 mm[.375 in]

### Operation/Application

Shielded	Yes
Halogen Free	No

#### Other

Cable Assembly Configuration	Double Ended
Cable Assembly Length	4 m[13.12 ft]

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

## Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the



product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

# Compatible Parts



TE Part # 2170705-7 CAGE ASSY, QSFP28 1X1, SPRING, HS, LP



TE Part # 2170747-6 CAGE ASSY, 1X4, QSFP28, SPRING, HS, LP



TE Part # 2170806-5 CAGE ASSEMBLY, 1X2, QSFP28, SPRING, HS



TE Part # 2-2170747-2 CAGE ASSY, 1X4, QSFP28, SPRING, HS, LP



TE Part # 2170704-2 CAGE ASSY, QSFP28 1X1, SPRING, HS



TE Part # 2227103-2 1X2 CAGE ASSY BHND BZL QSFP28



TE Part # 2227103-1 1X2 CAGE ASSY BHND BZL QSFP28



TE Part # 2170704-1 CAGE ASSY, QSFP28 1X1, SPRING, HS



TE Part # 2170704-5 CAGE ASSY, QSFP28 1X1, SPRING, HS



TE Part # 1551892-1 Cage Assy Behind Bezel QSFP28



TE Part # 2227104-1 1X2 CAGE ASSY, BHND BEZEL, QSFP28



TE Part # 2170703-7 CAGE ASSEMBLY, QSFP28 1X1, SPRING



TE Part # 2170790-4
CAGE ASSY, 1X4, QSFP28, SPRING,
HS, LP



TE Part # 2170703-6 CAGE ASSEMBLY, QSFP28 1X1, SPRING



TE Part # 1551891-1 Cage Assy, Behind Bezel, QSFP28



TE Part # 1551920-1 zQSFP+ connector assembly





TE Part # 2-2170808-3 QSFP28, 1X2, CAGE ASSY, SPRING, HS, LP



TE Part # 2170704-4 CAGE ASSY, QSFP28 1X1, SPRING, HS



TE Part # 2170806-2 CAGE ASSEMBLY, 1X2, QSFP28, SPRING, HS



TE Part # 2170806-3 CAGE ASSEMBLY, 1X2, QSFP28, SPRING, HS

## Also in the Series | zQSFP+/QSFP28



Heat Sinks(1)



Pluggable I/O Cable Assemblies(81)



QSFP, QSFP+ & zQSPF+(425)

# Customers Also Bought



TE Part #CB03374007 Single Heavy Wall RW 200 E: Heat Shrink Tubing, 2:1 Shrink Ratio



TE Part #440129-8 2.0MM,HSG,8POS



TE Part #2299806-1 NRW NON-FABRIC CARRIER, SOCKET PO



TE Part #52197-1 TERM, RING, SOLIS, 6, #10, T&R



TE Part #1734098-5 Champ050 50p A/P RCPT 25CL PB



TE Part #2334236-4 QSFP TO [4]SFP 25GIG 30AWG 2 **METER** 



TE Part #2204740-1 75A/POLE, DUAL POLE SLIDING POWER CONN



TE Part #2311291-1 CA, BUSBAR MATING TO CORD END TML





## **Documents**

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2333842-8\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2333842-8\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2333842-8\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications** 

**Product Specification** 

English