

### Sliver for SFF-TA-1002

TE Internal #: 2340884-1


Sliver Cable Assembly, 140 Position, .5 m, 20 Gb/s, Discrete Pair, 30

AWG, Sliver Plug, Sliver Plug, High Speed, 12 Power Positions

View on TE.com >



Cable Assemblies > Copper Cable Assemblies > Internal I/O Cable Assemblies



Cable Assembly Type: Sliver

Connector Type (End A): Sliver Plug
Connector Type (End B): Sliver Plug

Cable Style: Discrete Pair

Cable Assembly Category: High Speed

### **Features**

### Product Type Features

Cable Assembly Type	Sliver
Connector Type (End A)	Sliver Plug
Connector Type (End B)	Sliver Plug
Cable Style	Discrete Pair
Cable Assembly Category	High Speed
Configuration Features	
Number of Positions	140
Number of Power Positions	12
Number of Signal Positions	128
Electrical Characteristics	

Impedance 85 $\Omega$
-----------------------

### Signal Characteristics

Data Rate	20 Gb/s	
-----------	---------	--

### **Body Features**



Cable Flammability Rating	VW-1
Dimensions	
Wire Size	30 AWG
Operation/Application	
Halogen Free	Yes
Other	
Cable Assembly Configuration	Double Ended
Cable Assembly Length	.5 m

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2019 (197) SVHC > Threshold: Not Yet Reviewed
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

# **Compatible Parts**






## Also in the Series | Sliver for SFF-TA-1002



RN 0402 23K2 0.1% 10PPM 1K RL



RU 0603 15K 0.01% 2PPM 1K RL



### **Documents**

### **Product Drawings**

C/A, SLIVER 2.0, 4C, STR TO R/A, 0.5M

English

C/A, SLIVER 2.0, 4C, STR TO R/A, 0.5M

English

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2340884-1\_1.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2340884-1\_1.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2340884-1\_1.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## Datasheets & Catalog Pages

Sliver Internal Cabled Interconnect Solutions Brochure (Chinese)