

Alcoswitch | Alcoswitch AVC19

TE Internal #: 2342834-8 Push Button Switches, Single Pole - Single Throw Configuration (Pole-Throw), Anti-Vandal, Single Actuator, Flush Actuator Profile, Alcoswitch AVC19

View on TE.com >

Relays, Contactors & Switches > Switches > Push Button Switches



Configuration (Pole-Throw): Single Pole - Single Throw Push Button Switch Product Type: Anti-Vandal Number of Actuators: Single Actuator Profile: Flush Bushing Style: Threaded

Features



Product Type Features

Switch Type	Pushbutton				
Dust Proof	Yes				
Push Button Switch Product Type	Anti-Vandal				
Illuminated	Yes Round				
Actuator Style					
Configuration Features					
ESD Grounding Terminal	Without				
Ganged	No19.2 (Diameter) mm[.76 (Diameter) in]Single Pole - Single ThrowSingle				
Panel Cutout Size					
Configuration (Pole-Throw)					
Number of Actuators					
Operating Function	Momentary				
Electrical Characteristics					
Push Button Switch Voltage Rating	5 – 24 VDC				

C For support call+1 800 522 6752

Push Button Switches, Single Pole - Single Throw Configuration (Pole-Throw), Anti-Vandal, Single Actuator, Flush Actuator Profile, Alcoswitch AVC19



Body Features

Cap Color	Silver
Seal Type	Ероху
Actuator Force	0 g[0 oz]
Case Material	Stainless Steel
Actuator Material	Steel
Actuator Profile	Flush
Bushing Style	Threaded
Bushing Thread Size	M19 x 1
Actuator Color	Silver
Contact Features	
Type of Contact	1 pole, NO
Push Button Switch Contact Current Rating	1 A
Termination Features	
Termination Type	Long Leads
Mechanical Attachment	
Attachment Method	Screw-On
Mounting Angle	Vertical
Thread Size	M19 x 1
Push Button Switch Mounting Type	Panel
Housing Features	
Low Profile	Yes
Dimensions	
Bushing Diameter	19 mm[.75 in]
Bushing Length	15 mm[.59 in]
Usage Conditions	
Oil-Tight	No
Temperature Rating	Standard
Industry Standards	
IP Rating	IP68
Packaging Features	

C For support call+1 800 522 6752

Push Button Switches, Single Pole - Single Throw Configuration (Pole-Throw), Anti-Vandal, Single Actuator, Flush Actuator Profile, Alcoswitch AVC19



Packaging Method	Loose Piece					
Product Compliance For compliance documentation, visit the product page on TE.com>						
EU RoHS Directive 2011/65/EU	Compliant with Exemptions					
EU ELV Directive 2000/53/EC	Compliant with Exemptions					
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold					
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUL 2027 (219) SVHC > Threshold: Pb (85% in component part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.					
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free					
Solder Process Capability	Not reviewed for solder process capability					

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Push Button Switches, Single Pole - Single Throw Configuration (Pole-Throw), Anti-Vandal, Single Actuator, Flush Actuator Profile, Alcoswitch AVC19






Also in the Series | Alcoswitch AVC19



Customers Also Bought



E Part #1623094-1 RG0603 ZEROHM	TE Part #770340-1 02P .062 COMM P&S PLUG	TE Part #770342-1 02P .062 COMM P&S RECPT	TE Part #2-520080-2 ULTRA-FAST .110/.125 ASY REC 22-18 TPBR
	CONTRACTOR OF THE	R 222	ETE
E Part #2-534206-0) MODII VRT DR CE 100/115	TE Part #1-2213766-5 AV19 SPM 5A POWER LED GREEN 24V	TE Part #1623243-1 CRG0805 1% 510R	TE Part #2364569-1 AVH19 FLT SS MT NO LED 26A



Push Button Switches, Single Pole - Single Throw Configuration (Pole-Throw), Anti-Vandal, Single Actuator, Flush Actuator Profile, Alcoswitch AVC19



Documents

Product Drawings AVC19M FLAT S04 RGB R 500MM/1X6

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2342834-8_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2342834-8_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2342834-8_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages AVC Series - Anti-Vandal Illuminated Capacitive Switches

English