


Alcoswitch | Alcoswitch AVC22

TE Internal #: 2342836-7 Push Button Switches, Single Pole - Single Throw Configuration (Pole-Throw), Anti-Vandal, Single Actuator, Flush Actuator Profile, Alcoswitch AVC22

View on TE.com >

Relays, Contactors & Switches > Switches > Push Button Switches



Configuration (Pole-Throw): Single Pole - Single Throw Push Button Switch Product Type: Anti-Vandal Number of Actuators: Single Actuator Profile: Flush Bushing Style: Threaded

Features



Product Type Features

| Switch Type | Pushbutton |
|-----------------------------------|---------------------------------------|
| Dust Proof | Yes |
| Push Button Switch Product Type | Anti-Vandal |
| Illuminated | Yes |
| Actuator Style | Round |
| Configuration Features | |
| ESD Grounding Terminal | Without |
| Ganged | No |
| Panel Cutout Size | 22.2 (Diameter) mm[.87 (Diameter) in] |
| Configuration (Pole-Throw) | Single Pole - Single Throw |
| Number of Actuators | Single |
| Operating Function | Momentary |
| Electrical Characteristics | |
| Push Button Switch Voltage Rating | 5 – 24 VDC |

C For support call+1 800 522 6752

Push Button Switches, Single Pole - Single Throw Configuration (Pole-Throw), Anti-Vandal, Single Actuator, Flush Actuator Profile, Alcoswitch AVC22



Body Features

| Cap Color | Silver |
|---|---------------|
| Seal Type | Ероху |
| Actuator Force | 0 g[0 oz] |
| Case Material | Aluminum |
| Actuator Material | Aluminum |
| Actuator Profile | Flush |
| Bushing Style | Threaded |
| Bushing Thread Size | M22 x 1 |
| Actuator Color | Silver |
| Contact Features | |
| Type of Contact | 1 pole, NO |
| Push Button Switch Contact Current Rating | 1 A |
| Termination Features | |
| Termination Type | Long Leads |
| Mechanical Attachment | |
| Attachment Method | Screw-On |
| Mounting Angle | Vertical |
| Thread Size | M22 x 1 |
| Push Button Switch Mounting Type | Panel |
| Housing Features | |
| Low Profile | Yes |
| Dimensions | |
| Bushing Diameter | 22 mm[.87 in] |
| Bushing Length | 15 mm[.59 in] |
| Usage Conditions | |
| Oil-Tight | No |
| Temperature Rating | Standard |
| Industry Standards | |
| IP Rating | IP68 |
| Packaging Features | |
| | |
| | |

C For support call+1 800 522 6752

Push Button Switches, Single Pole - Single Throw Configuration (Pole-Throw), Anti-Vandal, Single Actuator, Flush Actuator Profile, Alcoswitch AVC22



| Packaging Method | Loose Piece |
|--|---|
| Product Compliance For compliance documentation, visit the product page on TE.com> | |
| EU RoHS Directive 2011/65/EU | Compliant with Exemptions |
| EU ELV Directive 2000/53/EC | Compliant with Exemptions |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not reviewed for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Push Button Switches, Single Pole - Single Throw Configuration (Pole-Throw), Anti-Vandal, Single Actuator, Flush Actuator Profile, Alcoswitch AVC22






Also in the Series Alcoswitch AVC22



Customers Also Bought



Documents

Product Drawings AVC22M FLAT AIO RGB R 500MM/1X6

English

CAD Files

3D PDF

3D

Push Button Switches, Single Pole - Single Throw Configuration (Pole-Throw), Anti-Vandal, Single Actuator, Flush Actuator Profile, Alcoswitch AVC22



Customer View Model

ENG_CVM_CVM_2342836-7_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2342836-7_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2342836-7_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages AVC Series - Anti-Vandal Illuminated Capacitive Switches

English