
2343522-8 - ACTIVE

SFP56

TE Internal #: 2343522-8 SFP, SFP+ & zSFP+, Cage Assembly with Integrated Connector, Data Rate (Max) 56 Gb/s, Internal/External EMI Springs, SFP28 / SFP56, SFP56

View on TE.com >

Connectors > Pluggable IO Connectors & Cages > SFP, SFP+ & zSFP+ > SFP56 Stacked Cage Assembly: EMI Spring



Pluggable I/O Product Type: Cage Assembly with Integrated Connector

Data Rate (Max): 56 Gb/s

EMI Containment Feature Type: Internal/External EMI Springs

Pluggable I/O Applications: SFP28, SFP56

Lightpipe Options: With Lightpipe

All SFP56 Stacked Cage Assembly: EMI Spring (48)



Features

Prod	uct ⁻	Гуре	Featu	res
		· / · · ·		

Form Factor	zSFP+ Stacked (SFP56)			
Pluggable I/O Accessory Type	Dust & EMI Cover			
Cage Туре	Stacked			
Pluggable I/O Product Type	Cage Assembly with Integrated Connector			
Lightpipe Options	With Lightpipe			
Connector & Contact Terminates To	Printed Circuit Board			
Configuration Features				
Port Matrix Configuration	2 x 2			
Number of Ports	4			
Number of Positions	20			
Electrical Characteristics				
Data Rate (Max)	56 Gb/s			

2343522-8

SFP, SFP+ & zSFP+, Cage Assembly with Integrated Connector, Data Rate (Max) 56 Gb/s, Internal/External EMI Springs, SFP28 / SFP56, SFP56



Termination Features

Termination Method to Printed Circuit Board

Mechanical Attachment

Connector Mounting Type

Housing Features

Centerline (Pitch)

Usage Conditions

Operating Temperature Range

Operation/Application

Pluggable I/O Applications

Circuit Application

Other

EMI Containment Feature Type

Board Mount

.6 mm[.018 in]

-55 - 105 °C[-67 - 221 °F]

Through Hole - Press-Fit

SFP28, SFP56

Signal

Internal/External EMI Springs

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

2343522-8

SFP, SFP+ & zSFP+, Cage Assembly with Integrated Connector, Data Rate (Max) 56 Gb/s, Internal/External EMI Springs, SFP28 / SFP56, SFP56



Compatible Parts




DUST COVER, SFP, GANGED & STACKED

Also in the Series | SFP56



Customers Also Bought





2343522-8

SFP, SFP+ & zSFP+, Cage Assembly with Integrated Connector, Data Rate (Max) 56 Gb/s, Internal/External EMI Springs, SFP28 / SFP56, SFP56





Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2343522-8_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2343522-8_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2343522-8_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

Product Specifications Application Specification

English