2349201-7 - ACTIVE

SFP56

TE Internal #: 2349201-7 SFP, SFP+ & zSFP+, Cage Assembly with Integrated Connector, Data Rate (Max) 56 Gb/s, Internal/External EMI Springs, SFP56 / SFP28, SFP56

View on TE.com >

Connectors > Pluggable IO Connectors & Cages > SFP, SFP+ & zSFP+ > SFP56 Stacked Cage Assembly: EMI Spring



Pluggable I/O Product Type: Cage Assembly with Integrated Connector

Data Rate (Max): 56 Gb/s

EMI Containment Feature Type: Internal/External EMI Springs

Pluggable I/O Applications: SFP28, SFP56

Lightpipe Options: With Lightpipe

All SFP56 Stacked Cage Assembly: EMI Spring (48)



Features

Prod	luct ⁻		Features	5
	act	JPC	i outurot	•

Form Factor	zSFP+ Stacked (SFP56)			
Pluggable I/O Accessory Type	Dust & EMI Cover			
Cage Туре	Stacked			
Pluggable I/O Product Type	Cage Assembly with Integrated Connector			
Lightpipe Options	With Lightpipe			
Connector & Contact Terminates To	Printed Circuit Board			
Configuration Features				
Port Matrix Configuration	2 x 12			
Number of Ports	24			
Number of Positions	20			
Electrical Characteristics				
Data Rate (Max)	56 Gb/s			

2349201-7

SFP, SFP+ & zSFP+, Cage Assembly with Integrated Connector, Data Rate (Max) 56 Gb/s, Internal/External EMI Springs, SFP56 / SFP28, SFP56



Termination Features

Termination Method to Printed Circuit Board	Through Hole - Press-Fit				
Mechanical Attachment					
Connector Mounting Type	Board Mount				
Housing Features					
Centerline (Pitch)	.6 mm[.018 in]				
Usage Conditions					
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]				

Operation/Application

Pluggable I/O Applications

Circuit Application

Other

EMI Containment Feature Type

SFP28, SFP56

Signal

Internal/External EMI Springs

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in

2349201-7

SFP, SFP+ & zSFP+, Cage Assembly with Integrated Connector, Data Rate (Max) 56 Gb/s, Internal/External EMI Springs, SFP56 / SFP28, SFP56



articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts




TE Part # 1761394-1 DUST COVER, SFP, GANGED & STACKED

Also in the Series | SFP56



00			

Customers Also Bought



2349201-7

SFP, SFP+ & zSFP+, Cage Assembly with Integrated Connector, Data Rate (Max) 56 Gb/s, Internal/External EMI Springs, SFP56 / SFP28, SFP56



Documents

CAD Files 3D PDF

3D

Customer View Model

ENG_CVM_CVM_2349201-7_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2349201-7_A.3d_igs.zip

English

Customer View Model ENG_CVM_CVM_2349201-7_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications
Application Specification

English