# 2349202-5 - ACTIVE

## SFP56

TE Internal #: 2349202-5 SFP, SFP+ & zSFP+, Cage Assembly with Integrated Connector, Data Rate (Max) 56 Gb/s, Internal/External EMI Springs, SFP28 / SFP56, Not Optional, SFP56

## View on TE.com >

Connectors > Pluggable IO Connectors & Cages > SFP, SFP+ & zSFP+ > SFP56 Stacked Cage Assembly: EMI Spring



Pluggable I/O Product Type: Cage Assembly with Integrated Connector

Data Rate (Max): 56 Gb/s

EMI Containment Feature Type: Internal/External EMI Springs

Pluggable I/O Applications: SFP28, SFP56

Lightpipe Options: Not Optional

## All SFP56 Stacked Cage Assembly: EMI Spring (48)



# Features

# **Product Type Features**

Pluggable I/O Accessory Type	Dust & EMI Cover
Form Factor	zSFP+ Stacked (SFP56)
Cage Туре	Stacked
Pluggable I/O Product Type	Cage Assembly with Integrated Connector
Lightpipe Options	Not Optional
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Port Matrix Configuration	2 x 1
Number of Ports	2
Number of Positions	20
Electrical Characteristics	
Data Rate (Max)	56 Gb/s

## 2349202-5

SFP, SFP+ & zSFP+, Cage Assembly with Integrated Connector, Data Rate (Max) 56 Gb/s, Internal/External EMI Springs, SFP28 / SFP56, Not Optional, SFP56



### **Termination Features**

Termination Method to Printed Circuit Board	Through Hole - Press-Fit
Mechanical Attachment	
Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	.6 mm[.018 in]
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	
Pluggable I/O Applications	SFP28, SFP56
Circuit Application	Signal
Other	
EMI Containment Feature Type	Internal/External EMI Springs

## Product Compliance

For compliance documentation, visit the product page on TE.com>

### EU RoHS Directive 2011/65/EU

#### Compliant

EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides

## 2349202-5

SFP, SFP+ & zSFP+, Cage Assembly with Integrated Connector, Data Rate (Max) 56 Gb/s, Internal/External EMI Springs, SFP28 / SFP56, Not Optional, SFP56



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



TE Part # 1761394-1 DUST COVER, SFP, GANGED & STACKED

# Also in the Series | SFP56



# Customers Also Bought



# Documents

## **CAD** Files

**C** For support call+1 800 522 6752

## 2349202-5

SFP, SFP+ & zSFP+, Cage Assembly with Integrated Connector, Data Rate (Max) 56 Gb/s, Internal/External EMI Springs, SFP28 / SFP56, Not Optional, SFP56



### 3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_2349202-5\_A.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2349202-5\_A.3d\_igs.zip

English

Customer View Model ENG\_CVM\_CVM\_2349202-5\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications Product Specification

English

Product Environmental Compliance

Product Compliance Document

English

Product Compliance Document

English