


AMPSEAL 16

TE Internal #: 2356408-1 Data Connectivity Headers, A, Cable-to-Board, 4 Position, .21 in [5.3 mm] Centerline, Sealable, Shielded, Vertical, Signal, Board Mount, AMPSEAL 16

View on TE.com >

Connectors > Automotive Connectors > Data Connectivity Systems > Data Connectivity Headers



Connector & Keying Code: A Connector System: Cable-to-Board

Number of Positions: **4**

Centerline (Pitch): 5.3 mm [.21 in]

Sealable: Yes

Features



Product Type Features

Connector System	Cable-to-Board						
Sealable	Yes						
Connector & Contact Terminates To	Printed Circuit Board						
Configuration Features							
Number of Positions	4						
PCB Mount Orientation	Vertical						
Electrical Characteristics							
Impedance	50 Ω						
Body Features							
Connector & Keying Code	A						
Mechanical Attachment							
Connector Mounting Type	Board Mount						
Housing Features							

C For support call+1 800 522 6752

Data Connectivity Headers, A, Cable-to-Board, 4 Position, .21 in [5.3 mm] Centerline, Sealable, Shielded, Vertical, Signal, Board Mount, AMPSEAL 16



Centerline (Pitch)	5.3 mm[.21 in]
Usage Conditions	
Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
Operation/Application	
Shielded	Yes
Circuit Application	Signal
Packaging Features	
Packaging Quantity	240
Packaging Method	Box & Tray
Other	
Outer Contact Plating Material	Tin (Sn)
Product Compliance	
For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions

China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) SVHC > Threshold: Pb (2.75% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not reviewed for solder process capability

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides

Data Connectivity Headers, A, Cable-to-Board, 4 Position, .21 in [5.3 mm] Centerline, Sealable, Shielded, Vertical, Signal, Board Mount, AMPSEAL 16



on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 2338211-1 CAP PIN ASSY, 4P, W2W, SEALED COAX



TE Part # 2338212-1 PLUG SOCKET ASSY, 4P, W2W, SEALED COAX



TE Part # 2339729-1 CAP PIN ASSY, 4P, FLANGE, SEALED COAX



TE Part # 2355843-1 1POS,COAX,SOC HSG ASSY,SLD




TE Part # 2355844-4 1POS,PIN DIA 2.5,HDR ASSY,180DEG	TE Part # 2338211-2 CAP PIN ASSY, 4P, W2W, SEALED COAX	TE Part # 2338211-3 CAP PIN ASSY, 4P, W2W, SEALED COAX	TE Part # 2338211-4 CAP PIN ASSY, 4P, W2W, SEALED COAX
TE Part # 2338212-2 PLUG SOCKET ASSY, 4P, W2W, SEALED COAX	TE Part # 2338212-3 PLUG SOCKET ASSY, 4P, W2W, SEALED COAX	TE Part # 2338212-4 PLUG SOCKET ASSY, 4P, W2W, SEALED COAX	TE Part # 2355843-2 1POS,COAX,SOC HSG ASSY,SLD

Data Connectivity Headers, A, Cable-to-Board, 4 Position, .21 in [5.3 mm] Centerline, Sealable, Shielded, Vertical, Signal, Board Mount, AMPSEAL 16



	1			
TE Part # 2355843-3 1POS,COAX,SOC HSG ASSY,SLD		TE Part # 2355843-4 1POS,COAX,SOC HSG ASSY,SLD	TE Part # 2356408-2 4POS,PIN DIA 2.8,HDR ASSY,180DEG, COD B	TE Part # 2356408-3 4POS,PIN DIA 2.8,HDR ASSY,180DEG, COD C

Also in the Series | AMPSEAL 16












Connector Backshells(84)	Connector Seals & Cavity Plugs(4)	Data Connectivity Headers(2)	Data Connectivity Housings(3)



Customers Also Bought



Data Connectivity Headers, A, Cable-to-Board, 4 Position, .21 in [5.3 mm] Centerline, Sealable, Shielded, Vertical, Signal, Board Mount, AMPSEAL 16







Documents

Product Drawings

4P,COAX,HDR ASSY,180DEG,COD A,SHORT

English

4P,COAX,HDR ASSY,180DEG,COD A,SHORT

English

CAD Files

Customer View Model

ENG_CVM_CVM_2356408-1_A1.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_2356408-1_A1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2356408-1_A1.3d_igs.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English