# 2361107-1 ✓ ACTIVE

TE Internal #: 2361107-1

PCB RF Modules, 14 Coaxial Contacts, Vertical, Aluminum Alloy, Cable-to-Cable, 14 Position, Wire & Cable, Board Mount, -65 – 120 °C [-85 – 248 °F]

View on TE.com >

Connectors > RF Connectors > RF Connector Accessories > PCB RF Modules

Number of Coaxial Contacts: **14**

PCB Mount Orientation: **Vertical**

Body Material: **Aluminum Alloy**

Connector System: **Cable-to-Cable**

Number of Positions: **14**

Features

Product Type Features

Connector System	Cable-to-Cable
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Coaxial Contacts	14
PCB Mount Orientation	Vertical
Number of Positions	14

Body Features

Body Material	Aluminum Alloy

Mechanical Attachment

Connector Mounting Type	Board Mount

Usage Conditions

Operating Temperature Range	-65 – 120 °C[-85 – 248 °F]

Operation/Application

Circuit Application	Signal

PCB RF Modules, 14 Coaxial Contacts, Vertical, Aluminum Alloy, Cable-to-Cable, 14 Position, Wire & Cable, Board Mount, -65 – 120 °C [-85 – 248 °F]

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

TE Part # 2332676-1

SMPM CABLE JACK VITA 67-3 SNAP .086

TE Part # 2332676-2

SMPM CABLE JACK VITA 67-3 SNAP 047

TE Part # 2332829-1

VITA 67.3 DC MODULE 14 POSITION SS

TE Part # 2332829-2

VITA 67.3 DC MODULE 14 POSITION SS

PCB RF Modules, 14 Coaxial Contacts, Vertical, Aluminum Alloy, Cable-to-Cable, 14 Position, Wire & Cable, Board Mount, -65 – 120 °C [-85 – 248 °F]

TE Part # 2332829-3

VITA 67.3 DC MODULE 14 POSITION AL

Customers Also Bought

TE Part #1-6450869-4

V/R 2ACP+1LP+32S+3HDP+1LP+1P

TE Part #1-1469491-3

MULTIGIG RT GUIDEPIN, 9MM 4.20

TE Part #1410956-1

MULTIGIG RT GUIDEPIN KIT ASSEMBLY

TE Part #1-1469491-2

MULTIGIG RT GUIDEPIN, 9MM 2.60

TE Part #2302790-1

VERTRECASSY,RIGHTEND,MULTIGIG RT3

TE Part #2332817-1

Vert RCPT Left End Half Multigig RT 3

TE Part #2102736-2

Assy, Vert Recpt, Center, MG, Rug Cntct

TE Part #2302789-2

VERTRECASSY,CENTER,MULTIGIG RT3

TE Part #2302790-2

VERTRECASSY,RIGHTEND,MULTIGIG RT3

TE Part #2302791-1

VERTRECASSY,CENTER,RTM, MULTIGIG RT3

Documents

Product Drawings

MOD 14 POS SMPM VITA 67-3 TYPE A BP

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2361107-1_A.2d_dxf.zip

2361107-1

PCB RF Modules, 14 Coaxial Contacts, Vertical, Aluminum Alloy, Cable-to-Cable, 14
Position, Wire & Cable, Board Mount, -65 – 120 °C [-85 – 248 °F]

English

Customer View Model

ENG_CVM_CVM_2361107-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2361107-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English