


Sliver for SFF-TA-1002

TE Internal #: 2361358-1 Sliver Cable Assembly, 140 Position, .5 m, 20 Gb/s, Discrete Pair, 33 AWG, Sliver Plug, Sliver Plug, High Speed, 12 Power Positions View on TE.com >

Cable Assemblies > Copper Cable Assemblies > Internal I/O Cable Assemblies



Cable Assembly Type: Sliver Connector Type (End A): Sliver Plug Connector Type (End B): Sliver Plug Cable Style: Discrete Pair

Cable Assembly Category: High Speed

Features

Product Type Features



Cable Assembly Type	Sliver
Connector Type (End A)	Sliver Plug
Connector Type (End B)	Sliver Plug
Cable Style	Discrete Pair
Cable Assembly Category	High Speed
Configuration Features	
Number of Positions	140
Number of Power Positions	12
Number of Signal Positions	128
Electrical Characteristics	
Impedance	85 Ω
Signal Characteristics	
Data Rate	20 Gb/s
Dimensions	

C For support call+1 800 522 6752

2361358-1

Sliver Cable Assembly, 140 Position, .5 m, 20 Gb/s, Discrete Pair, 33 AWG, Sliver Plug, Sliver Plug, High Speed, 12 Power Positions



Wire Size	33 AWG
Operation/Application	
Halogen Free	Yes
Other	
Cable Assembly Configuration	Double Ended
Cable Assembly Length	.5 m
EU RoHS Directive 2011/65/EU	Compliant
For compliance documentation, visit the product page on TE.com>	
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts

2361358-1

Sliver Cable Assembly, 140 Position, .5 m, 20 Gb/s, Discrete Pair, 33 AWG, Sliver Plug, Sliver Plug, High Speed, 12 Power Positions






Also in the Series | Sliver for SFF-TA-1002



Customers Also Bought





2361358-1

Sliver Cable Assembly, 140 Position, .5 m, 20 Gb/s, Discrete Pair, 33 AWG, Sliver Plug, Sliver Plug, High Speed, 12 Power Positions



Documents

Product Drawings C/A, Sliver 2.0 4C, LA to LA, 0.5M

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2361358-1_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2361358-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2361358-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications Product Specification

English