

AMP | Heavy Duty Sealed Connector Series

TE Internal #: 2388280-5

Other Automotive Connector Accessories, Slide, PA6 GF, Red, -40

- 140 °C [-40 - 284 °F]

View on TE.com >



Connectors > Automotive Connector > Automotive Connector Accessories > Other Automotive Connector Accessories > Heavy Duty Sealed Connector Series Fixing Slides











Automotive Connector Accessory Type: Slide

Primary Product Material: PA6 GF

Primary Product Color: Red

Operating Temperature Range: -40 - 140 °C [-40 - 284 °F]

All Heavy Duty Sealed Connector Series Fixing Slides (33)

Features

Product Type Features

Automotive Connector Accessory Type	Slide
Body Features	
Primary Product Material	PA6 GF
Primary Product Color	Red
Usage Conditions	
Operating Temperature Range	-40 - 140 °C[-40 - 284 °F]
Industry Standards	
UL Flammability Rating	UL 94V-0

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant



China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Also in the Series | Heavy Duty Sealed Connector Series













Data Connectivity Housings(18)



Other Automotive Connector Accessories(34)




PCB Headers & Receptacles(1)


Customers Also Bought



TE Part #2350890-1 20POS,HYBRID,SOC HSG ASSY,SLD, COD A



TE Part #5-968221-6 MQS0,63 Ag rec CB unseal. 0,5-0,75



TE Part #1473255-2 LEVER ASSY TYPE-A NO SLIT TYPE 40POS



TE Part #1-1703963-1 16POS,AMP MCP1.5K,REC HSG,ASSY, SEALED



TE Part #2366509-1 48POS,HYBRID,PIN HSG ASSY,SLD, COD A



TE Part #2373921-4
CVTY PLUG,PIN DIA 1.6,CVTY DIA,2.0,
GRN



TE Part #936459-2 MQS 3P COVER HSG



TE Part #936783-2 MT-II/JPT SLD 20P CAP COVER

TE Part #2137352-2 AMP-MCP 2.8mm TAB HOUSING, 18POS

TE Part #3-1813099-1 2.5mm SOCKET HSG ASSEMBLY (GREEN 4POS)

Documents

Product Drawings
SLIDE, TAB HSG ASSY, GROUP E

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2388280-5_A.2d_dxf.zip

Other Automotive Connector Accessories, Slide, PA6 GF, Red, -40 – 140 °C [-40 – 284 °F]



English

Customer View Model

ENG_CVM_CVM_2388280-5_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2388280-5_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English