2388280-6 - ACTIVE


AMP | Heavy Duty Sealed Connector Series TE Internal #: 2388280-6 Other Automotive Connector Accessories, Slide, PA6 GF, Yellow, -40 – 140 °C [-40 – 284 °F]

View on TE.com >



Connectors > Automotive Connectors > Automotive Connector Accessories > Other Automotive Connector Accessories >

Heavy Duty Sealed Connector Series Fixing Slides



Automotive Connector Accessory Type: Slide

Primary Product Material: PA6 GF

Primary Product Color: Yellow

Operating Temperature Range: -40 – 140 °C [-40 – 284 °F]

All Heavy Duty Sealed Connector Series Fixing Slides (33)

Features

Product Type Features

Automotive Connector Accessory Type	Slide					
Body Features						
Primary Product Material	PA6 GF					
Primary Product Color	Yellow					
Usage Conditions						
Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]					
Industry Standards						
UL Flammability Rating	UL 94V-0					
Product Compliance For compliance documentation, visit the product page on TE.com>						
EU RoHS Directive 2011/65/EU	Compliant					
EU ELV Directive 2000/53/EC	Compliant					

S For support call+1 800 522 6752

2388280-6

Other Automotive Connector Accessories, Slide, PA6 GF, Yellow, -40 – 140 °C [-40 – 284 °F]



China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Also in the Series | Heavy Duty Sealed Connector Series



2388280-6

Other Automotive Connector Accessories, Slide, PA6 GF, Yellow, -40 – 140 °C [-40 – 284 °F]





Customers Also Bought



Lever for 154P ECU connector	HYBRID 42P CAP ASSY BLK	VERRIEGLUNG F94P	48POS,HYBRID,PIN HSG ASSY,SLD, COD A
-E TE			
TE Part #2373921-2 CVTY PLUG,PIN DIA 1.6,CVTY DIA,1.9, YEL			

Documents

Product Drawings SLIDE, TAB HSG ASSY, GROUP E

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2388280-6_A.2d_dxf.zip

2388280-6

Other Automotive Connector Accessories, Slide, PA6 GF, Yellow, -40 – 140 °C [-40 – 284 °F]



English

Customer View Model ENG_CVM_CVM_2388280-6_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2388280-6_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English