



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers



Protection & Strain Relief Accessory Type: **Cover**

Cable Exit Angle: **180°**

Primary Product Color: **Orange**

Primary Product Material: **PA GF**

Operating Temperature (Max): **140 °C [284 °F]**

## Features

### Product Type Features

Protection & Strain Relief Accessory Type	Cover
---	-------

### Body Features

Cable Exit Angle	180°
Primary Product Color	Orange
Primary Product Material	PA GF

### Usage Conditions

Operating Temperature (Max)	140 °C[284 °F]
Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2023 (235)

Candidate List Declared Against: JUNE 2023 (235)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts



TE Part # 1-2394085-1  
Pre-ASSY,Finger Access,Code K



TE Part # 1-2394085-2  
Pre-ASSY,Finger Access,Code L



TE Part # 1-2394085-3  
Pre-ASSY,Finger Access,Code M



TE Part # 2-2394085-1  
Pre-ASSY,Tool Access,Code A



TE Part # 2-2394085-2  
Pre-ASSY,Tool Access,Code B



TE Part # 2-2394085-3  
Pre-ASSY,Tool Access,Code C








TE Part # 2-2394085-4  
Pre-ASSY,Tool Access,Code D




TE Part # 2-2394085-5  
Pre-ASSY,Tool Access,Code E



## Also in the Series | PowerTube HVP-HD 1000



## Customers Also Bought



## Documents

### Product Drawings

H&S 50mm, Cable cover

English

### CAD Files

Customer View Model

[ENG\\_CVM\\_CVM\\_2394113-2\\_A.3d\\_stp.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_2394113-2\\_A.2d\\_dxf.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_2394113-2\\_A.3d\\_igs.zip](#)

English

### 3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

## Datasheets & Catalog Pages



## HIVONEX CONNECTORS & CHARGING SOLUTIONS

English

---

**Product Specifications**

**Application Specification**

English