

PowerTube | PowerTube HVP-HD 1400

TE Internal #: 2399606-1

PCB Mount Header, Bus Bar-to-Wire, 1 Position, Header & Push-Push Assembly, Silver, Through Hole - Screw, Sealable, PowerTube

HVP-HD 1400

View on TE.com >



Connectors > PCB Connectors > PCB Headers & Receptacles











Connector System: Bus Bar-to-Wire

Number of Positions: 1

Number of Rows: 1

Termination Method to Printed Circuit Board: Through Hole - Screw

Header Type: Header & Push-Push Assembly

Features

Product Type Features

Connector System	Bus Bar-to-Wire
Header Type	Header & Push-Push Assembly
Sealable	Yes
Connector & Contact Terminates To	Bus Bar
PCB Connector Assembly Type	PCB Mount Header
Configuration Features	
Number of Positions	1
Number of Rows	1
Electrical Characteristics	
Operating Voltage	1000 VAC
Body Features	
Primary Product Color	Black

Contact Features



Mating Pin Diameter	14 mm[.55 in]
Contact Mating Area Plating Material	Silver
Contact Type	Pin
Contact Current Rating (Max)	500 A
Termination Features	
Termination Method to Printed Circuit Board	Through Hole - Screw
Mechanical Attachment	
Mating Alignment Type	Polarization
Connector Mounting Type	Panel Mount
Usage Conditions	
Operating Temperature (Max)	140 °C[284 °F]
Operating Temperature Range	-40 - 140 °C[-40 - 284 °F]
Operation/Application	
Circuit Application	Power & Signal
Industry Standards	

IPX9K

UL 94V-0

Product Compliance

Degree of Protection

UL Flammability Rating

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
LO NOTIS Directive 2011/03/LO	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Dodecamethylcyclohexasiloxane (D6) (.11% in Component Part) Decamethylcyclopentasiloxane (D5) (.11% in Component Part) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free



Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 1-2399663-1
Pre-ASSY,Finger Access,Code K



TE Part # 1-2399663-2 Pre-ASSY,Finger Access,Code L



TE Part # 1-2399663-3
Pre-ASSY,Finger Access,Code M



TE Part # 2-2399663-1 Pre-ASSY,Tool Access,Code A



TE Part # 2-2399663-2 Pre-ASSY,Tool Access,Code B



TE Part # 2-2399663-3 Pre-ASSY,Tool Access,Code C



TE Part # 2-2399663-4 Pre-ASSY,Tool Access,Code D



TE Part # 2-2399663-5
Pre-ASSY,Tool Access,Code E



TE Part # 2-2399663-6 Pre-ASSY,Tool Access,Code F



TE Part # 2-2399663-7 Pre-ASSY,Tool Access,Code G



TE Part # 2-2399663-8 Pre-ASSY,Tool Access,Code H



TE Part # 2-2399663-9
Pre-ASSY,Tool Access,Code J





TE Part # 2399663-2 Pre-ASSY, Finger Access, Code B



TE Part # 2399663-3 Pre-ASSY,Finger Access,Code C



TE Part # 2399663-4 Pre-ASSY,Finger Access,Code D



TE Part # 2399663-5 Pre-ASSY, Finger Access, Code E



TE Part # 2399663-6 Pre-ASSY, Finger Access, Code F



TE Part # 2399663-7 Pre-ASSY,Finger Access,Code G



TE Part # 2399663-8 Pre-ASSY,Finger Access,Code H



TE Part # 2399663-9 Pre-ASSY,Finger Access,Code J

Also in the Series | PowerTube HVP-HD 1400



(3)








Automotive Terminals(3)



Connector Seals & Cavity Plugs(3)




Other Automotive Connector Accessories(6)



PCB Headers & Receptacles(180)

Customers Also Bought





TE Part #165536-1 PIDG POS.LOCK ASSY

















Documents

Product Drawings

1POS,HVP1400,ASSY,180DEG,COD A

English

CAD Files

Customer View Model

ENG_CVM_CVM_2399606-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2399606-1_B.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_2399606-1_B.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

HIVONEX CONNECTORS & CHARGING SOLUTIONS

English

Product Specifications

Application Specification

English