

2399667-2 ✓ ACTIVE

PowerTube | PowerTube HVP-HD 1400

TE Internal #: 2399667-2


Single Wire Seal (SWS), Silicone, Green, -40 – 140 °C [-104 – 284 °F]

Operating Temperature, PowerTube HVP-HD 1400

[View on TE.com >](#)



Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Single Wire Seal (SWS)**

Primary Product Material: **Silicone**

Primary Product Color: **Green**

Shore A Hardness: **27**

Operating Temperature (Max): **140 °C [284 °F]**

Features

Product Type Features

Connector Seal & Plug Type	Single Wire Seal (SWS)
----------------------------	------------------------

Body Features

Primary Product Material	Silicone
--------------------------	----------

Primary Product Color	Green
-----------------------	-------

Usage Conditions

Operating Temperature (Max)	140 °C[284 °F]
-----------------------------	----------------

Operating Temperature Range	-40 – 140 °C[-104 – 284 °F]
-----------------------------	-----------------------------

Other

Shore A Hardness	27
------------------	----

Contains Lubricant	Yes
--------------------	-----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-2399663-1
Pre-ASSY, Finger Access, Code K



TE Part # 1-2399663-2
Pre-ASSY, Finger Access, Code L



TE Part # 1-2399663-3
Pre-ASSY, Finger Access, Code M



TE Part # 2-2399663-1
Pre-ASSY, Tool Access, Code A



TE Part # 2-2399663-2
Pre-ASSY, Tool Access, Code B



TE Part # 2-2399663-3
Pre-ASSY, Tool Access, Code C




TE Part # 2-2399663-4
Pre-ASSY, Tool Access, Code D




TE Part # 2-2399663-5
Pre-ASSY, Tool Access, Code E



Also in the Series | PowerTube HVP-HD 1400



Customers Also Bought



Documents

Product Drawings

H&S 95mm, SWS

English

CAD Files

Customer View Model

[ENG_CVM_CVM_2399667-2_A.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2399667-2_A.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2399667-2_A.3d_igs.zip](#)

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages



HIVONEX CONNECTORS & CHARGING SOLUTIONS

English

Product Specifications

Application Specification

English