1201-SNG-0018-1 - ACTIVE

Kemtron | Kemtron 1201 Series

TE Internal #: 2420732-1 Extruded EMI Gasket, Conductive Strip, Silicone Binding, Nickel Plated Graphite (Ni/C) Filler, Solid Round, 1 m [3.28 ft] Long, Kemtron 1201 Series

View on TE.com >

EMI & EMC Solutions > EMI Shielding > EMI Gaskets > Extruded EMI Gasket Conductive Strip



Gasket Type: Extruded EMI Gasket Finished Type: Conductive Strip Binding Material: Silicone Filler Material: Nickel Plated Graphite (Ni/C) Gasket Shape: Solid Round

All Extruded EMI Gasket Conductive Strip (56)



Features

| Product Ty | pe Features |
|-------------------|-------------|
|-------------------|-------------|

| Finished Type | Conductive Strip |
|-----------------------------|------------------------------------|
| Binding Material | Silicone |
| Filler Material | Nickel Plated Graphite (Ni/C) |
| Electrical Characteristics | |
| Resistance to Petroleum | No |
| Volume Resistivity (Max) | .05 Ω.cm |
| Body Features | |
| | |
| Gasket Type | Extruded EMI Gasket |
| Gasket Type Gasket Shape | Extruded EMI Gasket Solid Round |
| | |
| Gasket Shape | |

1201-SNG-0018-1

Extruded EMI Gasket, Conductive Strip, Silicone Binding, Nickel Plated Graphite (Ni /C) Filler, Solid Round, 1 m [3.28 ft] Long, Kemtron 1201 Series



Operating Temperature Range

Other

Reuse Limits

-55 – 160 °C[-67 – 320 °F]

Reusable More Than 3 Times

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|--|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC |
| Halogen Content | BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources. |
| Solder Process Capability | Not reviewed for solder process capability |

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



1201-SNG-0018-1

Extruded EMI Gasket, Conductive Strip, Silicone Binding, Nickel Plated Graphite (Ni /C) Filler, Solid Round, 1 m [3.28 ft] Long, Kemtron 1201 Series



Also in the Series | Kemtron 1201 Series



Documents

Product Drawings SNG Cord 1.8mm x 1m L

English

Datasheets & Catalog Pages Performance Materials brochure

English

Datasheet - Conductive Elastomers

English

Product Specifications Application Specification