
# 281934-4 - ACTIVE

#### AMP | AMP Superseal 1.5mm Series

TE Internal #: 281934-4 Single Wire Seal (SWS), Silicone, Green, 5.5 mm [.217 in] Cavity Diameter, .063 in [1.6 mm] Insulation Diameter, AMP Superseal 1.5 mm Series

#### View on TE.com >



Connectors > Connector Accessories > Connector Seals & Cavity Plugs

Connector Seal & Plug Type: Single Wire Seal (SWS)

Primary Product Material: Silicone

Primary Product Color: Green

Cavity Diameter: 5.5 mm [.217 in ]

Compatible Insulation Diameter Range: 1.6 mm [.063 in ]

### Features

#### Product Type Features

Connector Seal & Plug Type

### Body Features

Primary Product Material

connectivity

Single Wire Seal (SWS)

Silicone

Primary Product Color	Green
Dimensions	
Cavity Diameter	5.5 mm[.217 in]
Compatible Insulation Diameter Range	1.6 mm[.063 in]
Usage Conditions	
Operating Temperature (Max)	65 °C, 70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C [149 °F][158 °F][167 °F][176 °F][185 °F][194 ° F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F]
Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]
Industry Standards	
UL Flammability Rating	None
Other	
Resistance to Hydrocarbons	Poor
Shore A Hardness	50

**C** For support call+1 800 522 6752

#### 281934-4

Single Wire Seal (SWS), Silicone, Green, 5.5 mm [.217 in] Cavity Diameter, .063 in [1.6 mm] Insulation Diameter, AMP Superseal 1.5mm Series



Contains Lubricant

Yes

### **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**




Also in the Series | AMP Superseal 1.5mm Series


**C** For support call+1 800 522 6752

#### 281934-4

Single Wire Seal (SWS), Silicone, Green, 5.5 mm [.217 in] Cavity Diameter, .063 in [1.6 mm] Insulation Diameter, AMP Superseal 1.5mm Series







# Customers Also Bought



AMP SUPERSEAL 1.5MM, CONNECTOR HOUSING AMP SUPERSEAL 1.5MM, RECEPTACLE AND TAB

## Documents

Product Drawings

SINGLE WIRE SEAL

English

SINGLE WIRE SEAL

English

**CAD** Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_281934-4\_H.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_281934-4\_H.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_281934-4\_H.3d\_stp.zip

**C** For support call+1 800 522 6752

#### 281934-4

Single Wire Seal (SWS), Silicone, Green, 5.5 mm [.217 in] Cavity Diameter, .063 in [1.6 mm] Insulation Diameter, AMP Superseal 1.5mm Series



English

By downloading the CAD file I accept and agree to the  $\ensuremath{\mathsf{Terms}}\xspace$  and  $\ensuremath{\mathsf{Conditions}}\xspace$  of use.

Datasheets & Catalog Pages ICT Terminals and Connectors Catalogue

English

Product Specifications

AMP Superseal 1.5 series

English

English