

AMP | Multilock Connector System

TE Internal #: 2822343-1

Housing for Female Terminals, Wire-to-Wire, 7 Position, .079 in [2 mm] Centerline, Sealable, Green, Power, Multilock Connector

System

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings > MULTILOCK, CONNECTOR HOUSING











Connector System: Wire-to-Wire

Number of Positions: 7

Connector & Housing Type: Housing for Female Terminals

Centerline (Pitch): 2 mm [.079 in]

Sealable: Yes

All MULTILOCK, CONNECTOR HOUSING (567)

Features

Product Type Features

Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector System	Wire-to-Wire
Connector & Housing Type	Housing for Female Terminals
Sealable	Yes
Primary Locking Feature	Integrated in Housing
Configuration Features	
Number of Positions	7
Number of Rows	3
Body Features	
Body Features Cable Exit Angle	180°



Contact Features

Contact Size	.8mm
Contact Type	Receptacle
Mating Tab Width	8 mm[.315 in]

Mechanical Attachment

Terminal Position Assurance	No
Mating Alignment Type	Polarization
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	PBT
Centerline (Pitch)	2 mm[.079 in]

Dimensions

Connector Height	16.5 mm[.65 in]
Product Width	9.2 mm[.362 in]
Product Length	8 mm[.315 in]

Usage Conditions

Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C[158 °F][167 °F][176 °F][185 °F][194 °F] [212 °F][221 °F]
Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]

Operation/Application

Circuit Application	Power
Packaging Features	

Packaging Quantity	100
--------------------	-----

Bag

Other

Serviceable	No
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | Multilock Connector System






Automotive Connector Caps & Covers (17)



Automotive Connector EMC Shielding (1)



Automotive Connector Locks & Position Assurance(2)



Automotive Housings(603)



Automotive Terminals(141)



Connector Seals & Cavity Plugs(2)



Insertion & Extraction Tools(6)



Other Automotive Connector Accessories(14)



PCB Headers & Receptacles(142)

Customers Also Bought



TE Part #1379658-2
TH/.025 CONNECTOR SYSTEM,
HOUSING



TE Part #2-2112780-1 18POS, MIXED,REC HSG,ASSY, SEALED




TE Part #2236793-3

SMARTSEAL TERMINAL









Documents



Product Drawings

MINI MLC PLUG HSG ASSY 7P

Japanese

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2822343-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2822343-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2822343-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

MULTILOCK Connector System

English

Product Specifications

Product Specification

Japanese

Instruction Sheets

Mini Multilock Connector

English

Mini Multilock Connector

Japanese