# P30P47A12P1-120 ! PENDING OBSOLESCENCE

Potter & Brumfield | Potter & Brumfield P30 TE Internal #: 3-1393132-8 TE Internal Description: P30P47A12P1-120=CONTACTORS View on TE.com >



Relays, Contactors & Switches > Contactors > Definite Purpose Contactors



## Pole Configuration: 4

Definite Purpose Contactor Coil Voltage Rating: 120 VAC

Definite Purpose Contactor Contact Current Rating: 30 A

Definite Purpose Contactor Mounting Type: Panel

Definite Purpose Contactor Contact Arrangement: 4 Form X, 4PST-NO-DM

# Features

#### **Product Type Features**

Molded	No				
Product Category	Electromechanical Relays				
Product Type	Contactor				
Arc Cover	With				
Product Classification	Relays - Contactors				
Contactor Type	Definite Purpose				
Terminal Configuration	10-32 Screw				
Configuration Features					
Auxiliary Switch Contact Arrangement	Without				
Electrical Characteristics					
Actuating System	AC				
Coil Voltage (Max)	120 VAC				
Definite Purpose Contactor Coil Voltage Rating	120 VAC				
Definite Purpose Contactor Coil Resistance	117 Ω				
Definite Purpose Contactor Contact Switching Voltage (Max)	600 VAC				



## **Contact Features**

Contact Base Material	Silver Cadmium Oxide				
Pole Configuration	4				
Definite Purpose Contactor Contact Current Rating	30 A				
Definite Purpose Contactor Contact Arrangement	4 Form X, 4PST-NO-DM				
Termination Features					
Coil Termination	8-32 Screw, Quick Connect				
Mechanical Attachment					
Mounting Plate	With				
Definite Purpose Contactor Mounting Type	Panel				
Dimensions					
Wire Size	8.37 mm <sup>2</sup>				
Industry Standards					
UL Flammability Rating	UL 94V-0				
Agency Approval	CSA Certified, UL Recognized				
Packaging Features					
Packaging Method	Individual				

# Product Compliance

For compliance documentation, visit the product page on TE.com>

	EU RoHS Directive 2011/65/EU	Compliant with Exemptions	
	EU ELV Directive 2000/53/EC	Not Compliant	
	China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold	
	EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) SVHC > Threshold: Cadmium oxide (10.81% in Component Part) Matice Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.	
	Halogen Content	Not Yet Reviewed for halogen content	
	Solder Process Capability	Not applicable for solder process capability	

#### P30P47A12P1-120=CONTACTORS



#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

# Compatible Parts



# Also in the Series

# **Customers Also Bought**

	TE		
TE Part #2-5748003-0	TE Part #1-1469492-1	TE Part #2-2013289-1	TE Part #2562-214-2031
09 PLUG SP/FMS BRDLK	MULTIGIG RT 9MM GUIDE/ESD 0 DEG	EMBOSS TAPE DDR3 204P 5.2H STD	CONT SOC ASSY



# **Documents**

#### **CAD** Files 3D PDF

**C** For support call+1 800 522 6752

P30P47A12P1-120



3D

Customer View Model ENG\_CVM\_CVM\_3-1393132-8\_D.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_3-1393132-8\_D.3d\_igs.zip

English

Customer View Model ENG\_CVM\_CVM\_3-1393132-8\_D.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

P30/P40 Definite Purpose Magnetic Contactor 30/40 Ampere Full Load 40/50 Ampere Resistive AC & DC Coils

English

# Product Specifications Definitions General Purpose Relays

English