




Relays, Contactors & Switches > Switches > Push Button Switches



Configuration (Pole-Throw): **Double Pole - Double Throw**

Push Button Switch Product Type: **Switch**

Number of Actuators: **Single**

Actuator Profile: **Extended**

Bushing Style: **Threaded**

Features

Product Type Features

Switch Type	Pushbutton
Dust Proof	No
Push Button Switch Product Type	Switch
Illuminated	No
Actuator Style	Cap - Order Separately

Configuration Features

ESD Grounding Terminal	Without
Ganged	No
Configuration (Pole-Throw)	Double Pole - Double Throw
Number of Actuators	Single
Snap Action	Without
Support Bracket	Without
Tactile	No
Operating Function	Momentary



Electrical Characteristics

Push Button Switch Voltage Rating	28 VDC
-----------------------------------	--------

Body Features

Actuator Force	590 – 1224 g[20.8 – 43.18 oz]
Case Material	Thermoset
Actuator Material	Nickel-Plated Copper Alloy
Actuator Profile	Extended
Bushing Style	Threaded
Bushing Thread Size	1/4-40
Actuator Color	Natural

Contact Features

Contact Base Material	Silver Clad Copper
Push Button Switch Contact Current Rating	6 A
Switch Contact Plating Material	Silver Clad with Gold Flash

Termination Features

Termination Type	Wire Lugs
------------------	-----------

Mechanical Attachment

Mounting Angle	Vertical
Thread Size	1/4-40 UNS-2A
Push Button Switch Mounting Type	Panel

Housing Features

Low Profile	No
Process Sealed	No

Dimensions

Actuator Length	13.97 mm[.55 in]
Bushing Length	7.11 mm[.28 in]

Usage Conditions

Temperature Rating	Standard
--------------------	----------

Packaging Features

Packaging Method	Bulk
------------------	------

Other

--	--



Comment

Order cap model C22 or C23.

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU

Compliant

EU ELV Directive 2000/53/EC

Compliant with Exemptions

China RoHS 2 Directive MIIT Order No 32, 2016

No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2023 (235)

Candidate List Declared Against: JUNE 2022 (224)

SVHC > Threshold:

1,6,7,8,9,14,15,16,17,17,18,18-

dodecachloropentacyclo

[12.2.1.16,9.02,13.05,10]octadeca-7,15-

diene (Dechlorane Plus) (.69% in

Component Part)

Pb (.64% in Component Part)

Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Do not handle until all safety precautions have been read and understood. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Wave solder capable to 240°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 4-1437567-9
MPG106D=(MSPG) SWITCH PUSHBUTT



TE Part # 5-1437567-3
MPG206R=(MSPG) SW PUSHBUTTON



TE Part # 2-1437567-8
MPA106D=SW P/B ON/OFF SPDT



TE Part # 2-1437567-9
MPA106F=SWITCH P/B MOM SPDT



TE Part # 3-1437567-1
MPA206N=SW P/B ON/OFF DPDT




TE Part # 3-1437567-6
MPA306F=SW P/B MOM 3PDT



TE Part # 4-1437567-5
MPE206R=(MSPE) SW P/B WATERPRO



TE Part # 5-1437567-1
MPG206N=SWITCH PUSHBUTTON



TE Part # 5-1437567-4
MPG206RPC=(MSPG) SW P/B DPDT P



TE Part # 5-1437567-5
MPG306D=(MSPG) SW PUSHBUTTON



TE Part # 5-1437567-7
MPG406N=(MSPG) SW PUSHBUTTON



TE Part # 5-1437567-8
MPG406R=(MSPG) SW PUSHBUTTON



TE Part # 3-1437567-8
MPA406R=SW P/B MOM 4PDT



TE Part # 7-1437627-1
C90=C-9 BLACK



TE Part # 4-1437567-2
MPE106D=(MSPE) SW P/B WATERPRO



TE Part # 5-1437567-6
MPG306F=(MSPG) SW PUSHBUTTON



TE Part # 4-1437567-8
MPE406R=(MSPE) SW P/B WATERPRO



TE Part # 5-1437567-0
MPG106F=(MSPG) SWITCH PUSHBUTT



TE Part # 4-1437567-3
MPE106F=SWITCH PUSH BUTTON WAT





TE Part # 7-1437627-4
C99=C-9 WHITE

Also in the Series | [Alcoswitch MPA](#)



Push Button Switches(5)

Customers Also Bought

TE Part #1-480350-0
01P CMNL CAP HSG F/H NATLTE Part #1-770007-0
UMNL II PIN AUSN/NI/BRTE Part #9-1437624-9
PKS1132B101/4=SKIRT 0-10 PKS-1TE Part #1-1879627-0
H4P 24R 1% 100PPMTE Part #1-1437558-0
MTA106D=(MSTA) SWITCH TOGGLE STE Part #8-1437627-1
G12A=BUTTON GUARD ALUMTE Part #NB20034001
VERSAFIT-1/4-0-SPTE Part #1878643-8
M5031W

Documents

Product Drawings

MPA206R=SW P/B MOM DPDT

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_3-1437567-3_B.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_3-1437567-3_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_3-1437567-3_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.



[Datasheets & Catalog Pages](#)

[2-1773458-6_GREEN_SERIES_SWITCHES](#)

English