3-1609989-8 ACTIVE

Corcom | Corcom BCF

TE Internal #: 3-1609989-8

3-Phase Filters, 180A Current Rating, Stud Input, Stud Output,

DELTA (3 wire + ground), Operating Voltage 480 VAC, Chassis,

Corcom BCF

View on TE.com >



EMI & EMC Solutions > EMI Filters > Power Line Filters > 3-Phase Filters > 3 Phase Filters, Corcom BCF Series











Current Rating: 180 A

Input Termination Type: Stud
Output Termination Type: Stud

Wiring Configuration: **DELTA (3 wire + ground)**

Operating Voltage: 480 VAC

All 3 Phase Filters, Corcom BCF Series (36)

Features

Product Type Features

| Filtering Requirements | Filtered |
|-------------------------|----------|
| Input Termination Type | Stud |
| Output Termination Type | Stud |

Configuration Features

| Wiring Configuration | DELTA (3 wire + ground) |
|----------------------|-------------------------|

Electrical Characteristics

| Leakage Current (Max) (230VAC, 50Hz) | 29.4 |
|--------------------------------------|---------|
| Leakage Current (Max) (250VAC, 50Hz) | 32 mA |
| Current Rating | 180 A |
| Operating Voltage | 480 VAC |

Mechanical Attachment

| Product Mount Type | Chassis | |
|--------------------|---------|--|



Usage Conditions

| Operating Temperature Range -10 – 40 °C |
|---|
|---|

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant |
|---|--|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2022 (223) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | Corcom BCF





Customers Also Bought





TE Part #749805-8

KIT,HDP-20,PLUG,SIZE 2, 15 POS



















Documents

Product Drawings
180BCF6R=F8240F

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_3-1609989-8_A.2d_dxf.zip

3-Phase Filters, 180A Current Rating, Stud Input, Stud Output, DELTA (3 wire + ground), Operating Voltage 480 VAC, Chassis, Corcom BCF



English

Customer View Model

ENG_CVM_CVM_3-1609989-8_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_3-1609989-8_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

Corcom BCFxR Flyer

English