TE Internal #: 3-2172091-2

Standard Circular Connectors, Wire-to-Board, 4 Position, Sealable,

Signal, Panel Mount, Reverse Gender, Nickel, Zinc Alloy, A

Polarization Code

View on TE.com >




Connectors > Circular Connectors > Standard Circular Connectors











Connector System: Wire-to-Board

Number of Positions: 4

Sealable: Yes

Contact Current Rating (Max): 3A

Circuit Application: Signal

Features

Product Type Features

Product Type	Connector Assembly
Connector System	Wire-to-Board
Sealable	Yes
Circular Connector Type	Receptacle
Shell Type	Metal
Configuration Features	
Number of Positions	4
Number of Power Positions	0
Number of Signal Positions	4
Contacts Preloaded	Yes
Electrical Characteristics	
EMI & RFI Protection & Suppression Type	Shielding
Body Features	

Nickel

Shell Plating Material



Shell Base Material	Zinc Alloy
Circular Connector Insulation Material Type	Polyamide
Contact Features	
Contact Current Rating (Max)	3 A
Reverse Gender	Yes
Contact Layout Arrangement	Circular
Circular Connector Contact Type	Socket
Mechanical Attachment	
Connector Mounting Type	Panel Mount
Polarization Code	A
Mating Alignment Type	Keyed
Mating Retention	With
Housing Features	
Circular Connector Shell Size	12
	12
Circular Connector Shell Size	12
Circular Connector Shell Size Usage Conditions	
Circular Connector Shell Size Usage Conditions IP Water Sealing Level	7
Circular Connector Shell Size Usage Conditions IP Water Sealing Level IP Dust Sealing Level	7

Product Compliance

Shielded

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (4% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Yes



Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per
	homogenous material. Also BFR/CFR/PVC
	Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought






















Documents

Product Drawings

M8.FMLE.PNLREAR.4POS.PCBSTAND.RA.SHLD

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_3-2172091-2_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_3-2172091-2_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_3-2172091-2_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

M8 / M12 Connector System Catalog

English

M8 / M12 Connector System Catalog

Japanese

Product Specifications

Application Specification

English