CPF-A-0402B33KE1 <

Neohm | Neohm CPF TE Internal #: 3-2176215-5 33K Ω, Thin Film, Precision Resistor, .1 %, 2 Termination, 0402, Taped & Reeled, .063 W, ±25 ppm/°C, Solder, 1 x .5 x .3 mm, Neohm CPF

View on TE.com >



Passive Components > Resistors > Surface Mount Resistors



Resistor Type: Precision Resistor

Number of Terminations: 2

Package Size Code: 0402

Packaging Method: Taped & Reeled

Passive Component Tolerance: .1 %

Features

Product Type Features

Product Type	Fixed Resistor
Resistor Type	Precision Resistor
Package Size Code	0402

Element Type	Thin Film	
Configuration Features		
Number of Resistors	1	
Electrical Characteristics		
Passive Component Tolerance	.1 %	
Resistance Class	$1k\Omega - 1M\Omega$	
Resistance Value	33K Ω	
Power Rating	.063 W	
Termination Features		
Number of Terminations	2	
Surface Mount Resistor Termination Type	Solder	
Dimensions		
Passive Component Dimensions	1 x .5 x .3 mm	
Usage Conditions		
Temperature Coefficient	±25 ppm/°C	

C For support call+1 800 522 6752

CPF-A-0402B33KE1

33K Ω, Thin Film, Precision Resistor, .1 %, 2 Termination, 0402, Taped & Reeled, .063 W, ±25 ppm/°C, Solder, 1 x .5 x .3 mm, Neohm CPF



Packaging Features	
Packaging Method	Taped & Reeled
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




CPF-A-0402B33KE1

33K Ω, Thin Film, Precision Resistor, .1 %, 2 Termination, 0402, Taped & Reeled, .063 W, ±25 ppm/°C, Solder, 1 x .5 x .3 mm, Neohm CPF





Also in the Series | Neohm CPF



Customers Also Bought



TE Part #1658640-1	TE Part #1-745497-5	TE Part #5787169-9	TE Part #281839-8
HDP-20,RCPT,SIZE 5, 50 POSN	37 HDE MS RCPT,22-26,LEAD FREE	100 50SR R/A RCP ASSY,RDSN L/F	HOUSING HE13 HE14 COSI 2X8 P
CONTRACTOR OF	A Station of the second second	A123462	9

TE Part #5053194052

RNF-100-1/2-0-SP

TE Part #130203

PIDG RING



TE Part #1-745494-7

PLUG ASSY,15P,HDE,MS

TE Part #1-745493-5

15 HDE MS RCPT, 22-26, LEAD FREE

CPF-A-0402B33KE1

33K Ω, Thin Film, Precision Resistor, .1 %, 2 Termination, 0402, Taped & Reeled, .063 W, ±25 ppm/°C, Solder, 1 x .5 x .3 mm, Neohm CPF



Documents

Product Drawings CPF A 0402 33K 0.1% 25PPM 1K RL

English

Datasheets & Catalog Pages Automotive Grade Thin Film Chip Resistor - Type CPF-A Series

English