

CRGCQ1210J150K

✓ ACTIVE

Neohm | Neohm CRGCQ


TE Internal #: 3-2176346-2

150K Ω , Thick Film, General Purpose Resistor, 5 %, 2 Termination, 1210, Taped & Reeled, .5 W, ± 100 ppm/ $^{\circ}\text{C}$, Solder, 3.1 x 2.6 x .55 mm, Neohm CRGCQ

[View on TE.com >](#)



Passive Components > Resistors > Surface Mount Resistors



Resistor Type: **General Purpose Resistor**

Number of Terminations: **2**

Package Size Code: **1210**

Packaging Method: **Taped & Reeled**

Passive Component Tolerance: **5 %**

Features

Product Type Features

Product Type	Fixed Resistor
Resistor Type	General Purpose Resistor
Package Size Code	1210
Element Type	Thick Film

Configuration Features

Number of Resistors	1
---------------------	---

Electrical Characteristics

Voltage Rating	200 V
Passive Component Tolerance	5 %
Resistance Class	1k Ω – 1M Ω
Resistance Value	150K Ω
Power Rating	.5 W

Termination Features

Number of Terminations	2
------------------------	---



Surface Mount Resistor Termination Type	Solder
---	--------

Dimensions

Passive Component Dimensions	3.1 x 2.6 x .55 mm
------------------------------	--------------------

Usage Conditions

Temperature Coefficient	± 100 ppm/ $^{\circ}\text{C}$
-------------------------	-----------------------------------

Packaging Features

Packaging Method	Taped & Reeled
------------------	----------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2023 (233) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260 $^{\circ}\text{C}$

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

CRGCQ1210J150K

150K Ω , Thick Film, General Purpose Resistor, 5 %, 2 Termination, 1210, Taped & Reeled, .5 W, ± 100 ppm/ $^{\circ}\text{C}$, Solder, 3.1 x 2.6 x .55 mm, Neohm CRGCQ



TE Part # 1-2176341-7
CRGCQ 0805 220R 1%

TE Part # 1-2176345-2
CRGCQ 1210 82R 1%

TE Part # 1-2176347-7
CRGCQ 2010 220R 1%

TE Part # 2176349-4
CRGCQ 2512 18R 1%

TE Part # 1-2176350-2
CRGCQ 2512 68R 5%

Also in the Series | [Neohm CRGCQ](#)

Surface Mount Resistors(728)

Customers Also Bought

TE Part #207464-2
CRIMP SNAP PLUG ASSY,SZ 3

TE Part #205205-2
CRIMP SNAP RCPT ASSY,SIZE 2

TE Part #2-34318-1
SPLICE,SOLIS PARA HR 8

TE Part #680327-000
D-609-07

TE Part #680328-000
D-609-08

TE Part #34137
SPLICE,SOLIS PARA BRZD 16-14

TE Part #207463-1
CRIMP SNAP RCPT ASSY,SZ 3

TE Part #YDIV40E21-11PNC009
RECP ASSY

CRGCQ1210J150K

150K Ω , Thick Film, General Purpose Resistor, 5 %, 2 Termination, 1210, Taped & Reeled, .5 W, ± 100 ppm/ $^{\circ}\text{C}$, Solder, 3.1 x 2.6 x .55 mm, Neohm CRGCQ



Documents

Product Drawings

CRGCQ 1210 150K 5%

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_3-2176346-2_BA.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_3-2176346-2_BA.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_3-2176346-2_BA.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

CRGCQ Data Sheet

English