



Connectors > Automotive Connectors > Automotive Housings > Heavy Duty Sealed Connector Series Housings



Connector System: **Cable-to-Cable**

Number of Positions: **6**

Connector & Housing Type: **Housing for Female Terminals**

Centerline (Pitch): **6 mm, 9 mm [.236 in, .354 in]**

Sealable: **Yes**

[All Heavy Duty Sealed Connector Series Housings \(204\)](#)

Features

Product Type Features

Mixed & Hybrid Connector	Yes
Connector Shape	Rectangular
Connector System	Cable-to-Cable
Connector & Housing Type	Housing for Female Terminals
Sealable	Yes
Connector & Contact Terminates To	Wire & Cable
Primary Locking Feature	On the Terminal

Configuration Features

Blank Cavity Position	2
Number of Positions	6
Number of Rows	1, 2

Electrical Characteristics

--	--



Operating Voltage	60 VDC
-------------------	--------

Body Features

Cable Exit Angle	180°, 90°
Primary Product Color	Green
Connector & Keying Code	C

Contact Features

Contact Size	2.8mm, 6.3K
Contact Type	Receptacle
Mating Tab Width	2.8 mm, 6.3 mm[.11 in][.25 in]

Mechanical Attachment

Terminal Position Assurance	No
Strain Relief	Without
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Housing Material	PBT GF
Centerline (Pitch)	6 mm, 9 mm[.236 in][.354 in]

Dimensions

Connector Height	31.25 mm
Product Width	25.7 mm
Product Length	67.2 mm

Usage Conditions

Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Industry Standards

Degree of Protection	IP67, IP69K
Agency/Standard	DIN IEC 512
UL Flammability Rating	UL 94V-0

Packaging Features

--	--



Packaging Method	Box
Other	
Serviceable	Yes
Connector Position Assurance Capable	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-H3399-SL34
Heavy Duty Sealed Connector Series
Fixing Slides



TE Part # CAT-H3399-C1748
Heavy Duty Sealed Connector Series
Cap



TE Part # 1823111-1
SINGLE WIRE SEAL, FOR WIRE 2.5
SQMM, BN



TE Part # 1719043-1
SINGLE WIRE SEAL, GREEN



TE Part # 828922-1
2,5MM CAVITY PLUG FOR 5,4MM DI



TE Part # 1394512-1
EINZELLEITDICHTG,BL



TE Part # 828905-1
SINGLE-WIRE-SEAL(5MM HOLE)



TE Part # 2177018-1
SINGLE WIRE SEAL,AMP MCP6.3/4.8K, YW



TE Part # CAT-H3399-B128
Heavy Duty Sealed Connector Series Backshells



TE Part # CAT-AM705-T273
AMP MCP, RECEPTACLE AND TAB



TE Part # 1394511-1
EINZELLEITDICHTG,WS



TE Part # 828904-1
SINGLE WIRE SEAL FOR J.P.T.CON



TE Part # 1-2141859-1
AMP MCP 2.8, CONTACT




TE Part # 1-2141859-2
AMP MCP 2.8, CONTACT




TE Part # 1-2141859-3
AMP MCP 2.8, CONTACT


Also in the Series | Heavy Duty Sealed Connector Series



Automotive Connector Caps & Covers (25)



Automotive Housings(207)




Connector Seals & Cavity Plugs(5)



Data Connectivity Headers(2)



Data Connectivity Housings(18)




Other Automotive Connector Accessories(34)




PCB Headers & Receptacles(1)

Customers Also Bought







TE Part #1-967625-1
JR POW TIM 21P




TE Part #828347-2
HD VERSCHRAUBUNG




TE Part #1-968321-2
MQS ABDECKKAPPE 40P




TE Part #828922-2
CAVITY PLUG 2,5MM S




TE Part #3-1564337-1
Heavy Duty Sealed Connector Series
Housings




TE Part #1418884-3
AMP MCP 1.5K, CONTACT, SWS



TE Part #1-1452692-3
TAB 1,5X0,8 W.ACTION PIN



TE Part #967204-1
FLA-STE-GEH2,8 17P



TE Part #DT16-6S-KP01
PLG, 6P, GRN, E

Documents

Product Drawings
8POS,MIXED,REC HSG,ASSY,SLD
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_3-2299782-2_A.2d_dxf.zip
English
Customer View Model
ENG_CVM_CVM_3-2299782-2_A.3d_igs.zip
English
Customer View Model
ENG_CVM_CVM_3-2299782-2_A.3d_stp.zip
English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages



[HDSCS Catalog](#)

English