


#### SFP56

TE Internal #: 3-2339978-1 SFP, SFP+ & zSFP+, Cage Assembly with Integrated Connector, Data Rate (Max) 56 Gb/s, Internal/External EMI Springs, SFP56 / SFP28, Not Optional, SFP56

#### View on TE.com >

**TE** connectivity

Connectors > Pluggable IO Connectors & Cages > SFP, SFP+ & zSFP+ > SFP56 Stacked Cage Assembly: EMI Spring



Pluggable I/O Product Type: Cage Assembly with Integrated Connector

Data Rate (Max): 56 Gb/s

EMI Containment Feature Type: Internal/External EMI Springs

Pluggable I/O Applications: SFP28, SFP56

Lightpipe Options: Not Optional

### All SFP56 Stacked Cage Assembly: EMI Spring (48)

## Features

## **Product Type Features**

Pluggable I/O Accessory Type	Dust & EMI Cover
Form Factor	zSFP+ Stacked (SFP56)
Cage Туре	Stacked
Pluggable I/O Product Type	Cage Assembly with Integrated Connector
Lightpipe Options	Not Optional
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Port Matrix Configuration	2 × 4
Number of Ports	8
Number of Positions	20
Electrical Characteristics	
Data Rate (Max)	56 Gb/s

## 3-2339978-1

SFP, SFP+ & zSFP+, Cage Assembly with Integrated Connector, Data Rate (Max) 56 Gb/s, Internal/External EMI Springs, SFP56 / SFP28, Not Optional, SFP56



#### **Termination Features**

Termination Method to Printed Circuit Board	Through Hole - Press-Fit
Mechanical Attachment	
Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	.6 mm[.018 in]
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	
Pluggable I/O Applications	SFP28, SFP56
Circuit Application	Signal
Other	

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

### EU RoHS Directive 2011/65/EU

EMI Containment Feature Type

#### Compliant

Internal/External EMI Springs

EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2021 (211) Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## 3-2339978-1

SFP, SFP+ & zSFP+, Cage Assembly with Integrated Connector, Data Rate (Max) 56 Gb/s, Internal/External EMI Springs, SFP56 / SFP28, Not Optional, SFP56



# **Compatible Parts**



DUST COVER, SFP, GANGED & STACKED

# Also in the Series | SFP56



## **Customers Also Bought**



## Documents

Product Drawings SFP56 STACKED 2X4 RECEPTACLE ASSEMBLY

English

## 3-2339978-1

SFP, SFP+ & zSFP+, Cage Assembly with Integrated Connector, Data Rate (Max) 56 Gb/s, Internal/External EMI Springs, SFP56 / SFP28, Not Optional, SFP56



#### **CAD** Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_3-2339978-1\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_3-2339978-1\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_3-2339978-1\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Product Specification

English