


### Z-PACK | Z-PACK 2mm HM

TE Internal #: 3-352177-0 Hard Metric Backplane Connectors, PCB Mount Receptacle, ≤1 Gb /s, 11 Column, 5 Row, Traditional Backplane, 55 Position, Z-PACK 2mm HM

### View on TE.com >

Connectors > PCB Connectors > Backplane Connectors > Hard Metric Backplane Connectors >

Hard Metric Backplane Receptacle Connector: Mezzanine, 2mm



PCB Connector Assembly Type: PCB Mount Receptacle

Data Rate: **≤1 Gb/s** 

Number of Columns: 11

Number of Rows: 5

Backplane Architecture: Traditional Backplane

All Hard Metric Backplane Receptacle Connector: Mezzanine, 2mm (27)



## Features

### **Product Type Features**

PCB Connector Assembly Type	PCB Mount Receptacle					
Connector System	Board-to-Board					
Sealable	No					
Connector & Contact Terminates To	Printed Circuit Board					
Configuration Features						
Number of Columns	11					
Number of Rows	5					
Backplane Architecture	Traditional Backplane					
Number of Positions	55					
PCB Mount Orientation	Right Angle					
Signal Characteristics						
Data Rate	≤1 Gb/s					

**C** For support call+1 800 522 6752

Hard Metric Backplane Connectors, PCB Mount Receptacle, ≤1 Gb/s, 11 Column, 5 Row, Traditional Backplane, 55 Position, Z-PACK 2mm HM



### **Body Features**

Primary Product Color	Gray							
Contact Features								
CompactPCI Designation	None							
Contact Type	Socket							
Contact Mating Area Plating Material	Gold							
Contact Mating Area Plating Material Thickness	1.27 μm[50 μin]							
Mechanical Attachment								
Connector Mounting Type	Board Mount							
Housing Features								
Centerline (Pitch)	2 mm[.078 in]							
Usage Conditions								
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]							
Operation/Application								
Circuit Application	Power & Signal							
Packaging Features								

Tube

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

EU ELV Directive 2000/53/EC

China RoHS 2 Directive MIIT Order No 32, 2016

EU REACH Regulation (EC) No. 1907/2006

Not Compliant

Compliant with Exemptions

Restricted Materials Above Threshold

Current ECHA Candidate List: JUNE 2023 (235)

Candidate List Declared Against: JUNE 2023 (235)

SVHC > Threshold:

Pb (13% in Component Part)

Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Not Low Halogen - contains Br or Cl > 900 ppm.

Not applicable for solder process capability

Halogen Content

Solder Process Capability

Hard Metric Backplane Connectors, PCB Mount Receptacle, ≤1 Gb/s, 11 Column, 5 Row, Traditional Backplane, 55 Position, Z-PACK 2mm HM



#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



# Also in the Series Z-PACK 2mm HM



	and the second s		
Backplane Coding Keys(60)	Backplane Connector Housings(4)	Backplane Guide Hardware(37)	Backplane Power Connectors(6)
A Contraction of the second se			
Board-to-Board Connector Contacts(2)	Hard Metric Backplane Connectors (269)	High Speed Backplane Connectors(1)	Insertion & Extraction Tools(2)

Hard Metric Backplane Connectors, PCB Mount Receptacle, ≤1 Gb/s, 11 Column, 5 Row, Traditional Backplane, 55 Position, Z-PACK 2mm HM





# **Customers Also Bought**



Shield Finger, Loose Piece, Type A, 1.0	IMP,Power,3PR,R/A,Hdr,5.7,6.9Tin	CPF 0201 332R 0.1% 25ppm 1K RL	CPF 0201 4K53 0.1% 25ppm 1K RL
h			

# Documents

Product Drawings Z-PACK/M F-HDR 55+3

English

## CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_3-352177-0\_E.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_3-352177-0\_E.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_3-352177-0\_E.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**C** For support call+1 800 522 6752

Hard Metric Backplane Connectors, PCB Mount Receptacle, ≤1 Gb/s, 11 Column, 5 Row, Traditional Backplane, 55 Position, Z-PACK 2mm HM



Product Specifications Product Specification

English

Product Environmental Compliance

Product Compliance

English

**Product Compliance** 

English